

**KINKEN**  
**Research Highlights**  
**2013**



**Index**

## Author Index

Name	page
<b>A</b>	
Abe, Hiroaki	28
Aoki, Dai	52
Arima, Hiroshi	6
Ashino, Tetsuya	78
<b>B</b>	
Boulon, Georges	68
<b>C</b>	
Chiba, Akihiko	12
<b>F</b>	
Fujita, Motoki	54
Furuhara, Tadashi	4, 70
<b>G</b>	
Goto, Takashi	50
<b>H</b>	
Hiraka, Haruhiro	20
<b>I</b>	
Iguchi, Satoshi	42
Inoue, Koji	44
Ito, Akihiko	50
<b>K</b>	
Kamikawa, Naoya	4
Kashiwakura, Shunsuke	36
Kato, Hidemi	30
Katsui, Hirokazu	50
Kawazoe, Yoshiyuki	24
Kiguchi, Takanori	14
Konno, J. Toyohiko	14
Kutsukake, Kentaro	22
<b>M</b>	
Makino, Akihiro	60, 80
Masahashi, Naoya	64
Matsuoka, Takashi	46
Matsuura, Masato	20
Miyamoto, Goro	4
Mohri, Tetsuo	16, 66
<b>N</b>	
Nagai, Yasuyoshi	44
Niinomi, Mitsuo	8
Nojima, Tsutomu	74
Nojiri, Hiroyuki	40, 68
Nomura, Kentaro	38

Name	page
Nozawa, Jun	10
<b>O</b>	
Oguro, Hidetoshi	62
Ohoyama, Kenji	20
Orimo, Shin-ichi	32, 72
<b>S</b>	
Saitoh, Eiji	18
Sasaki, Takahiko	42
Sato, Kazuhisa	14
Sato, Shigeo	36
Sato, Toyoto	20, 32
Satoh, Yuhki	28
Shikama, Tatsuo	26, 58
Shimizu, Yasuo	44
Sugiyama, Kazumasa	6
<b>T</b>	
Takanashi, Koki	48
<b>U</b>	
Umetsu, Y. Rie	56
<b>W</b>	
Wagatsuma, Kazuaki	36
<b>Y</b>	
Yamamura, Tomoo	76
Yoshikawa, Akira	34

## Keyword Index

Keyword	page	Keyword	page
<b>A</b>			
actinide	52	luminescence	26
all-electron mixed basis approach	24	<b>M</b>	
alloy	8, 14	magnetic properties	38, 48
amorphous	56	mass spectroscopy	36
atom probe tomography	44	mechanical properties	4, 12, 28
<b>B</b>			
biomedical	8, 12	microstructure	30, 50
<b>C</b>			
Casida equation	24	<b>N</b>	
ceramics	26	neutron scattering	20, 32, 54
chemical vapor deposition (cvd)	50	nitride	46
colloid	10	<b>O</b>	
cryptocrystalline	6	organic	42
crystal growth	10, 22, 34	<b>P</b>	
<b>D</b>			
3D structure	44	pair distribution function	6
defects	16	phase transformation	14
deformation	4	piezoelectric	34
dielectric properties	42	porosity	30
dispersion coefficients	24	<b>Q</b>	
doping	10	quantum spin system	54
<b>E</b>			
electrical properties	38	<b>R</b>	
electrical resistivity	56	radiation effects	28, 34
electron microscopy	28	<b>S</b>	
electronic material	42, 44, 50	scanning transmission electron microscopy (stem)	14
energetic material	18	solar cells	22
energy storage	32	spectroscopy	40
<b>F</b>			
Fermi surface	52	spin dynamics	54
first-principles calculations	16	spin fluctuation	20
foam	30	spin wave	18, 48
<b>G</b>			
grain boundaries	22	spintronic	48
<b>H</b>			
heavy fermion	52	spintronics	18
high magnetic field	40	steel	4
high strength steel	16	superplasticity	12
high-Tc cuprate	20	<b>V</b>	
hydroxyapatite	8	vapor phase epitaxy (vpe)	46
<b>I</b>			
instrumentation	40	<b>W</b>	
insulator	38	waste management	36
ion beam analysis	26	<b>X</b>	
		XAFS	6
		x-ray diffraction (xrd)	46

**Editors:**

---

Hiroaki Abe (IMR), Takashi Matsuoka (IMR),  
Gerrit E.W. Bauer (IMR), Atsushi Tsukazaki (IMR),  
Kozo Fujiwara (IMR), Yuichiro Koizumi (IMR), and  
Satoshi Iguchi (IMR)

**Editorial Staff:**

---

Yoshiko Takahashi (IMR), Miori Kikuchi (IMR)

**Printing:**

---

HOKUTO Corporation

**Organization**

---

Institute for Materials Research  
Tohoku University  
2-1-1 Katahira, Aoba-ku, Sendai 980-8577, Japan  
Tel. +81-(0)22-215-2144 Fax. +81-(0)22-215-2482

URL: <http://www.imr.tohoku.ac.jp/>  
E-mail: [pro-adm@imr.tohoku.ac.jp](mailto:pro-adm@imr.tohoku.ac.jp)