

# 発表論文

## 金属、合金

1. Processing of Nanostructured Metals and Alloys via Plastic Deformation,Yuntian Zhu, Ruslan Z. Valiev, Terrence G. Langdon, Nobuhiro Tsuji, and Ke Lu,MRS Bulletin,Vol.35, No.12,2010,977–981
2. Atomic-scale characterization of elastic deformation of Zr-based metallic glass under tensile stress,Shigeo Sato, Hiroshi Suzuki, Takahisa Shobu, Muneyuki Imafuku, Yoshinori Tsuchiya, Kazuaki Wagatsuma, Hidemi Kato, Albertus Deny Setyawan and Junji Saida,Mat. Trans.,51,2010,1381–1385
3. Cu–Ni–Si合金における時効に伴う転位再配列のX線散乱法を用いた解析,佐藤成男,高橋洋平,我妻和明,鈴木茂,銅と銅合金,49,2010,107–111
4. Role of a Binary Metallic Modifier in the Determination of Cadmium in Graphite Furnace Atomic Absorption Spectroscopy,Syun Morimoto, Tetsuya Ashino, and Kazuaki Wagatsuma,Analytical Sciences,26,2010,809–813
5. Characterization of Aging Properties and Precipitation of Copper Base Alloys,Shigeo Sato, Kazuaki Wagatsuma, Minoru Isshiki, Hirtoshi Tashiro, Shigeru Suziki,High Temperature Materials and Processes,29,2010,405–419
6. Characterization of aging behavior of precipitates and dislocations in copper-based alloys,Shigeo Sato, Yohei Takahashi, Kazuaki Wagatsuma, Shigeru Suzuki,Powder Diffraction,25,2010,104–107
7. X線回折法による金属材料の不均一格子ひずみの解析,佐藤成男,金属,80,12,2010,35–40
8.  $Zr_{50}Al_{10}Ni_5Cu_{30}$ バルク金属ガラス中に分散させたZrC粒子の分離定量法,石黒三岐雄,我妻和明,日本金属学会誌,74, 11,2010,766–770
9. Degradation Process of Graphite Furnace Estimated from the Atomic Gas Temperature of Iron in Graphite Furnace Atomic Absorption Spectrometry,T. Ashino, H. Shimabukuro, K. Wagatsuma,Mat. Trans.,51,2010,2215–2219
10. 固溶体化処理を施した歯科用銀合金の特異硬化挙動とミクロ組織の関係,赤堀俊和,新家光雄,仲井正昭,堤晴美,菅野透,金容煥,福井壽男,日本金属学会誌,74,2010,337–344
11. 蛍光X線分析法を用いたチタン表面におけるリン酸カルシウム析出量の評価,阿部千景,坂本冬樹,大津直史,芦野哲也,我妻和明,日本金属学会誌,74,2010,237–241
12. Comparative Measurement of Gas Temperature in a Graphite Atomizer by a Two-line Method of Iron and Nickel Spectral Lines in Graphite Furnace Atomic Absorption,Tetsuya Ashino, Shun Morimoto, and Kazuaki Wagatsuma,Anal. Sci.,26,2010,1031–1034
13. Phase Formation and Solidification Routes Neat Mo–Mo<sub>5</sub>SiB<sub>2</sub> Eutectic Point in Mo–Si–B System,Seong-Ho Ha, Kyosuke Yoshimi, Kouichi Maruyama, Rong Tu, Takashi Goto,Materials Transactions,51-9,2010,1699–1704,博士
14. アルゴン減圧レーザー発光分析法におけるNi–Zn合金の検量線の挙動,佐々木遙,我妻和明,分析化学,59,2010,279–285
15. Fabrication of hydroxyapatite film on Ti–29Nb–13Ta–4.6Zr using a MOCVD technique,H. Tsutsumi, M. Niinomi, M. Nakai, T. Gozawa, T. Akahori, K. Saito, R. Tu and T. Goto,Mater. Trans.,51,2010,2277–2283

16. High Strength and High Ductility in Electrodeposited Nanocrystalline Ni–W Alloy,K. Fujita, T. Suidu and T. Yamasaki,Materials Science Forum,654–656,2010,1118–1121
17. New Routes for Fabricating Ultrafine Grained Microstructures in Bulky Steels without Very High Strains,N.Tsuji,10.1002/adem.201000018,Advanced Engineering Materials,Vol.12, Iss.8,2010,701–707
18. High-Temperature Severe Plastic Deformation of Ferritic Steel by Torsion,A.Setiawan, D.Terada and N.Tsuji,10.4028/www.scientific.net/MSF.6,Materials Science Forum,Vol.667–669,2011,403–408,修士
19. Effect of excitation states of nitrogen on the surface nitridation of iron and steel in d.c. glow discharge plasma,Shigeo Sato, Hirokazu Hirai, Sawa Araki and Kazuaki Wagatsuma,Surface and Interface Analysis,2011,修士
20. Self-adjustment of Young's modulus in biomedical titanium alloys during orthopaedic operation,M. Nakai, M. Niinomi, X.F. Zhao and X.L. Zhao,Mater. Lett.,65,2011,688–690

## 半導体

1. Optical polarization characteristics of m-plane InGaN films coherently grown on ZnO substrates,A. Kobayashi, K. Shimomoto, J. Ohta, H. Fujioka, and M. Oshima,10.1002/pssr.201004204,Physica Status Solidi RRL,4,2010,188–190

## 磁性、磁性材料

1. Ferromagnetic Gd–Cu, Tb–Cu, and Ho–Cu Couplings in Isomorphous  $[Ln_2Cu]$  Complexes,A. Okazawa, R. Watanabe, M. Nezu, T. Shimada, S. Yoshii, H. Nojiri, and T. Ishida,10.1246/cl.2010.1331,Chemistry Letters,39,2010,1331–1332,修士
2. Ferromagnetically coupled chiral cyanide–bridged  $\{Ni_6Fe_4\}$  cages,T. Shiga, G.N. Newton, J.S. Mathieson, T. Tetsuka, M. Nihei, L. Cronin, H. Oshio,10.1039/b925399h,Dalton Trans.,39,2010,4730–4733
3. Thermally Two-stepped Spin Transitions Induced by Intramolecular Electron Transfers in a Cyanide–bridged Molecular Square,M. Nihei, Y. Sekine, N. Suganami, H. Oshio,10.1246/cl.2010.978,Chem. Lett.,39,2010,978–979,修士
4. Structural characterization for L1<sub>0</sub>–ordered FePt films with (001) texture by x-ray diffraction with (001) texture by x-ray diffraction,H. Yamane, T. Narisawa, T. Hasegawa, S. Ishio,J. Appl. Phys.,108,2010,113923
5. Achiral single molecule magnet and chiral single chain magnet,N. Hoshino, Y. Sekine, M. Nihei, H. Oshio,10.1039/c0cc00184h,Chem. Commun.,46,2010,6117–6119,博士
6. Controlled B-site ordering in Sr<sub>2</sub>CrReO<sub>6</sub> double perovskite films by using pulsed laser interval deposition,S. Chakraverty, A. Ohtomo, M. Kawasaki,10.1063/1.3525578,Applied Physics Letters,97,2010,243107 1–3
7. Stationary Behavior in Effective Magnetic Moment and Magnetization of 2,3,6-Trifluorophenyl Nitronyl Nitroxide Radical Crystals,Tsuneki Kanzawa, Sadafumi Nishihara, Hiroyuki Nojiri, and Yuko Hosokoshi,10.1246/bcsj.20100188,Bull. Chem. Soc.Jpn.,83(12),2010,1447–1454,博士
8. Multiple Bistability and Tristability with Dual Spin-State Conversions in  $[Fe(dpp)_2][Ni(mnt)_2]_2 \cdot MeNO_2$ ,M. Nihei, H. Tahira, N. Takahashi, Y. Otake, Y. Yamamura, K. Saito, H. Oshio,10.1021/ja910122r,J. Am. Chem. Soc.,132,2010,3553–3560,修士

9. Absence of Meissner State and Robust Ferromagnetism in the Superconducting State of UCoGe: Possible Evidence of Spontaneous Vortex State,K. Deguchi, E. Osaki, S. Ban, N. Tamura, Y. Simura, T. Sakakibara, I. Satoh, N. K. Sato,10.1143/JPSJ.79.083708,Journal of the Physical Society of Japan,79,2010,083708 1-4,修士
10. Single chain magnet of a cyanide bridged  $\text{Fe}^{\text{II}}/\text{Fe}^{\text{III}}$  complex,K. Mitsumoto, M. Ui, M. Nihei, H. Nishikawa, H. Oshio,10.1039/C004351F,CrystEngComm,12,2010,2697–2699,修士
11.  $\text{L1}_0 \text{ FePt}$  thin films with [0 0 1] crystalline growth fabricated by  $\text{SiO}_2$  addition–rapid thermal annealing and dot patterning of the films,S. Ishio, T. Narisawa, S. Takahashi, Y. Kamata, S. Shibata, T. Hasegawa, Z. Yan, X. Liu, H. Yamane, Y. Kondo, J. Ariake,J. Magn. Magn. Mater.,in press
12. Spin current study of spin glass  $\text{AgMn}$  using spin pumping effect,R. Iguchi, K. Ando, E. Saitoh and T. Sato,,10.1088/1742-6596/266/1/012089,Journal of Physics: Conference Series,Vol. 266, No. 1,2011,012089 1-4,博士
13. Single-Molecule Magnet Behavior Enhanced by Magnetic Coupling between 4f–3d Spins,A. Okazawa, H. Nojiri, T. Ishida, and N. Kojima,10.1016/j.poly.2011.03.020,Polyhedron,2011
14. Fabrication of nanodot array using ferro–antiferromagnetic transition in  $\text{L10 FePtRh}$  film,T. Hasegawa, H. Kawato, H. Yamane and S. Ishio,Journal of the society of materials engineering for resources of Japan,in press
15. Controlled Intramolecular Electron Transfers in Cyanide–bridged Molecular Squares by Chemical Modifications and External Stimuli,M. Nihei, Y. Sekine, N. Suganami, K. Nakazawa, A. Nakao, H. Nakao, Y. Murakami, H. Oshio,10.1039/C0DT01119C,J. Am. Chem. Soc.,133,2011,3592–3600,修士
16. Exchange Couplings in One-dimensionally Arrayed 4f–3d Heterometallic  $[\text{Ln}_2\text{Cu}_2]_n$  Compounds. A Chemical Trend of the Coupling Parameter,A. Okazawa, K. Fujiwara, R. Watanabe, N. Kojima, S. Yoshii, H. Nojiri, and T. Ishida,10.1016/j.poly.2011.03.007,Polyhedron,2011,修士
17. Chemical Trend of 4f–3d Exchange Couplings in Heterometallic Complexes with  $\text{Ln} = \text{Gd}, \text{Td}, \text{Dy}, \text{Ho}, \text{Er}$  and  $\text{M} = \text{Cu}, \text{V}$ ,R. Watanabe, K. Fujiwara, A. Okazawa, G. Tanaka, S. Yoshii, H. Nojiri, and T. Ishida,10.1039/c0cc04669h,Chemical Communications,47,2011,2110–2112,修士
18. f Electron Contribution to the Change of Electronic Structure in  $\text{CeRu}_2\text{Si}_2$  with Temperature: A Compton Scattering Study,A. Koizumi, G. Motoyama, Y. Kubo, T. Tanaka, M. Itou, and Y. Sakurai,10.1103/PhysRevLett.106.136401,Physical Review Letters,106,2011,136401 1-4
19. Spin–crossover behavior and electrical conduction property in iron(II) complexes with tetrathiafulvalene moieties,M. Nihei, N. Takahashi, H. Nishikawa, H. Oshio,10.1039/C0DT01092H,Dalton Trans.,2011,2154–2156,修士
20. Study on nanoscale patterning using ferro–antiferromagnetic transition in [001]–oriented  $\text{L1}_0 \text{ FePtRh}$  film,T. Hasegawa, T. Tomioka, Y. Kondo, H. Yamane and S. Ishio,J. Appl. Phys.,in press

## 複合材料

1. First-Principles Study on Structural Properties of Beta-Form Belite,R.Sakurada, A.K.Singh and Y.Kawazoe,35th Conference on Our World in Concrete and Structures,Vol.29,2010,391-396
2. First-Principles Study on Crystal Structural Properties of Sr-doped Belite,R. Sakurada, A. K. Singh and Y. Kawazoe,5th General Meeting of Asian Consortium on Computational Materials Science-Virtual Org,2010,Oral-11

## 生体材料

1. 局所弾性率上昇型脊椎固定用チタン合金製ロッドの開発プロジェクトの概要,仲井正昭,新家光雄,織部一弥,宮本吾郎,石本卓也,軽金属,60・7,2010,342-344
2. 骨形成能向上を目的としたリン酸カルシウムコーティングとその展望,上田 恭介,バイオマテリアル,第28巻・3号,2010,159-160
3. 脊椎固定器具用チタン合金,仲井正昭,まてりあ,49・9,2010,437-440
4. 骨形成能向上を目的としたチタン系材料へのりん酸カルシウムコーティング,上田 恭介,軽金属,第60巻・7号,2010,347-350
5. Development of high Zr-containing Ti-based alloys with low Young's modulus for use in removable implants,X.L. Zhao, M. Niinomi, M. Nakai, T. Ishimoto and T. Nakano,Mater. Sci. Eng. C,submitted
6. Self-adjustment of Young's modulus in biomedical titanium alloys during orthopaedic operation,M. Nakai, M. Niinomi, X.F. Zhao and X.L. Zhao,10.1016/j.matlet.2010.11.006,Mater. Lett.,65・4,2011,688-690

## 非晶質・ガラス、液体状態、準結晶

1. Zr 基バルク金属ガラスのガラス遷移温度以下の温度におけるクリープ変形挙動,藤田和孝,河村祐平,木村真嗣,徳永仁夫,横山嘉彦,加藤秀実,井上明久,日本金属学会誌,第74巻第9号,2010,614-621
2. Magnetic properties of structure-disordered heavy fermion Ce-Mn alloys,Y. Amakai, S. Murayama, Y. Obi, H. Takano, N. Momono, K. Takanashi,J. Phys. Conf. Ser.,200,2010,0120006 1-4
3. Formation of Amorphous Fe-Cr-P-C Alloy Coating Films by Thermal Spraying Technique,M. Komaki, T. Mimura, Y. Kusumoto, R. Kurahasi, M. Kouzaki and T. Yamasaki,Materials Transactions,51,2010,1581-1585,博士
4.  $Zr_{70}Ni_{16}Cu_6Al_8$  バルク金属ガラスの引張・圧縮塑性変形に及ぼすひずみ速度の影響,城田明典,徳永仁夫,藤田和孝,横山嘉彦,山崎徹,井上明久,材料,59,2010,118-123
5. Zr-Cu-Al系金属ガラス合金の過冷却液体領域における年度の組成依存性,山田昌弘,谷本陽佑,山崎徹,菊池丈幸,横山嘉彦,井上明久,材料,59,2010,124-129,修士
6. Viscous Flow Behaviour of Supercooled Liquids and Mechanical Properties in Zr-Cu-Ni-Al Bulk Metallic Glasses.,T. Yamasaki, M. Yamada, T. Mori, T. Kikuchi, Y. Yokoyama, A. Inoue and D. H. Kim,Materials Science Forum,Vol. 654-656,2011,1046-1049,修士
7. Thermal expansion of structure-disordered heavy-fermion Ce alloys,Y. Amakai, S. Murayama Y. Obi, H. Takano, N. Momono, K. Takanashi,J. Phys. Soc. Jpn.,80,2011,in press

## 薄膜、超微粒子

1. Epitaxial structure of (001)- and (111)-oriented perovskite ferrate films grown by pulsed-laser deposition,S. Chakraverty, A. Ohtomo, M. Okude, K. Ueno, M. Kawasaki,10.1021/cg901355c,Crystal Growth & Design,10,2010,1725–1729
2. Experimental Observation of Two-Dimensional Charge Polarization in Unisized Platinum Cluster Disk Bonded to Silicon(111) Surface,Hisato Yasumatsu, Tetsuichiro Hayakawa, and Tamotsu Kondow,10.1016/j.cplett.2010.01.045,Chemical Physics Letters,Volume 487, Issues 4–6,2010,279–284
3. Vibrational and Electronic Spectra of  $\text{Co}_n^{+}(\text{CH}_3\text{OH})_3$ (n=1–3) Measured by Infrared Photodissociation Spectroscopy,Shinichi Hirabayashi, Masahiko Ichihashi, Yoshiyuki Kawazoe, and Tamotsu Kondow,10.1016/j.cplett.2010.03.021,Chemical Physics Letters,Volume 490, Issues 1–3,2010,19–23
4. Enhancement of Ammonia Dehydrogenation by Introduction of Oxygen onto Cobalt and Iron Cluster Cations,Shinichi Hirabayashi, Masahiko Ichihashi, and Tamotsu Kondow,10.1021/jp109118d,The Journal of Physical Chemistry A,114 (50),2010,13040–13044
5. Optical Absorption Spectrum of the Silver Dimer Ion: Temperature Dependence Measured by Photodissociation and Photon-Trap Spectroscopy,Kazuhiro Egashira, Christof Bartels, Tamotsu Kondow, and Akira Terasaki,The European Physical Journal D,in press
6. Probing Structures of Small Gold Cluster Cations with Dinitrogen,Naresh Patwari Ganpathi, Tomonori Ito, Kazuhiro Egashira, and Akira Terasaki,Chemistry – An Asian Journal,in press

## 結晶成長、欠陥

1. Numerical Analysis of mc-Si Crystal Growth,Koichi Kakimoto, Hitoshi Matsuo, Syo Hisamatsu, Birava Ganesh, Gao Bing, X. J. Chen, Lijun Liu, Hiroaki Miyazawa, Yoshihiro Kangawa,Solid State Phenomena,Vols. 156–158,2010,193–198
2. Global Simulation of Coupled Carbon and Oxygen Transport in a Unidirectional Solidification Furnace for Solar Cells,B. Gao, S. Nakano, and K. Kakimoto,Journal of The Electrochemical Society,Vol. 157, No.2,2010,H153–H159
3. Crystal growth of high-purity multicrystalline silicon using a unidirectional solidification furnace for solar cells,B. Gao, X.J. Chen, S. Nakano, K. Kakimoto,Journal of Crystal Growth,Volume 312,2010,1572–1576
4. Equilibrium segregation coefficient and solid solubility of B in Czochralski Ge crystal growth,T. Taishi, Y. Ohno and I. Yonenaga,Thin Solid Films,518,2010,2409–2412
5. Czochralski-growth of germanium crystals containing high concentrations of oxygen impurities,T. Taishi, H. Ise, Y. Murao, T. Ohsawa, M. Suezawa, Y. Tokumoto, Y. Ohno, K. Hoshikawa and I. Yonenaga,Journal of Crystal Growth,312,2010,2783–2787
6. Stability and Dynamical Process of Graphene Adatom and Its Dimer,Yuki Uramoto and Mineo Saito,Journal of the Physical Society of Japan,79,2010,074605 1–4
7. Numerical Analysis of Impurity Transport in a Unidirectional Solidification Furnace for Multicrystalline Silicon,Bing Gao, Satoshi Nakano, and Koichi Kakimoto,日本結晶成長学会誌,Vol. 36, No.4,2010,21–27(261–267)

8. Room-Temperature Epitaxial Growth of High-Quality m-Plane InAlN Films on Nearly Lattice-Matched ZnO Substrates,T. Kajima, A. Kobayashi, K. Ueno, K. Shimomoto, T. Fujii, J. Ohta, H. Fujioka, and M. Oshima,10.1143/JJAP.49.070202,Japanese Journal of Applied Physics,49,2010,070202 1-3,修士
9. Numerical simulation of a new SiC growth system by the dual-directional sublimation method,Xuejiang Chen, Shin-ichi Nishizawa, Koichi Kakimoto,Journal of Crystal Growth,Volume 312,2011,1697–1702
10. Oxygen doped Ge crystals Czochralski-grown from the B<sub>2</sub>O<sub>3</sub>-fully-covered melt,T. Taishi, H. Ise, Y. Murao, T. Ohsawa, Y. Tokumoto, Y. Ohno and I. Yonenaga,Microelectronics Engineering,88,2011,496–498

## 表面、界面

1. Surface hardening of titanium by pulsed Nd:YAG laser irradiation at 1064- and 532-nm wavelengths in nitrogen atmosphere,N.Ohtsu, M. Yamane, K. Komada, K. Wagatsuma,Appl. Surf. Sci.,257,2010,691–695

## 結晶構造(X線、電子線回折)

1. A Peculiar Site Preference of B in MgAl<sub>2-x</sub>B<sub>x</sub>O<sub>4</sub> ( $x = 0.0, 0.11$  and  $0.13$ ) Spinel under High-pressure and High-temperature,Akira Yoshiasa, Tomokazu Ito, Kazumasa Sugiyama, Akihiko Nakatsuka, Maki Okube, Masanori Kurosawa,Z. Anorg. Allg. Chem.,636,2010,472–475
2. Calcium silico-phosphates in angrites and experimentally-heated eucrite: Implication for their crystal chemistry and crystallization,Mikouchi T., Yamaguchi A., Sugiyama K. and Kato Y.,Antarctic Meteorites,XXXIII,2010,53–54
3. Structure of nagelschmidtite Ca<sub>7</sub>Si<sub>2</sub>P<sub>2</sub>O<sub>16</sub>,Sugiyama K., Kato Y., and Mikouchi T.,Mineralogica-Petrographica,6,2010,725
4. Mineralogy and crystallography of Calcium silico-phosphate in Northwest Africa 4590 angrite,Mikouchi T., Sugiyama K., W. Satake and Amelin Y.,Lunar and Planetary Science,XLII,2011,#2026

## 電気的、光学的性質

1. In situ transmission electron microscopy observation of the graphitization of silicon carbide nanowires induced by Joule heating,Hideo Kohno, Yuhki Mori, Seiji Takeda, Yutaka Ohno, Ichiro Yonenaga, and Satoshi Ichikawa,10.1143/APEX.3.055001,Applied Physics Express,3,2010,055001 1–3
2. Electrical breakdown of individual Si nanochains and silicide nanochains,Hideo Kohno, Takafumi Nogami, Seiji Takeda, Yutaka Ohno, Ichiro Yonenaga, and Satoshi Ichikawa,10.1166/jnn.2010.3144,Journal of Nanoscience and Nanotechnology,10,2010,6655–6658
3. Photofunctionalization of a Pentamethylcyclopentadienyl Ligand with the N-Phenylcarbazolyl Group to Prepare a Highly Luminescent Tb<sup>3+</sup> Complex Having a Fast Radiation Rate,Yatabe, Takeshi; Nakai, Hidetaka; Nozaki, Koichi; Yamanura, Tomoo; Isobe, Kiyoshi,10.1021/om1003094,Organometallics,29,2010,2390–2393,博士

## 低温

1. Addendum to "Van Hove Singularity and Spontaneous Fermi Surface Symmetry Breaking in Sr<sub>3</sub>Ru<sub>2</sub>O<sub>7</sub>", H. Yamase, A. A. Katanin, 10.1143/JPSJ.79.127001, Journal of the Physical Society of Japan, 79, 2010, 127001
2. Singular nonordering susceptibility at a Pomeranchuk instability, H. Yamase, P. Jakubczyk, 10.1103/PhysRevB.82.155119, Physical Review B, 82, 2010, 155119 1–5
3. Nematic quantum criticality without order, H. Yamase, P. Jakubczyk, W. Metzner, 10.1103/PhysRevB.83.125121, Physical Review B, 83, 2011, 125121 1–4

## 強磁場、高圧

1. Instantaneous nano-order fragmentation in mullite ceramics triggered by a shock-induced phase transition, T. Atou, N. Kawai, S. Ito, K. Yunuta, M. Kikuchi, J. Appl. Phys., 108, 2010, 093523 1–4

## 超高温、プラズマ

1. Observation of Atomic Emission Image from Spark Discharge Plasma by Using Two-Dimensional-Spectrograph, Muliadi RAMLI and Kazuaki Wagatsuma, ISIJ international, 50, 2010, 864–867
2. Emission spectroscopic study on gas-gas interaction in glow discharge plasmas using several binary gas mixtures, K. Wagatsuma, Anal. Sci., 26, 2010, 303–309
3. Bias-current modulation technique of a radio-frequency glow discharge plasma for atomic emission analysis associated with a fast Fourier transform analyzer, K. Wagatsuma, S. Urushibata, Microchem. J., 95, 2010, 107–112
4. レーザー誘起プラズマ発光分光法における鉄-クロム合金の原子化及び励起拳動の解析と検量線の作成, 島田温彦, 我妻和明, 分析化学, 60, 1, 2011, 59–65

## 分光、分析、NMR、メスバウアー

1. Anisotropic Magnetic Fluctuations in the Ferromagnetic Superconductor UCoGe Studied by Direction Dependent <sup>59</sup>Co NMR Measurements, Y. Ihara, T. Hattori, K. Ishida, Y. Nakai, E. Osaki, K. Deguchi, N. K. Sato, and I. Satoh, 10.1103/PhysRevLett.105.206403, Physical Review Letters, 105, 2010, 206403 1–4, 修士

## 中性子、電子、イオン、X線散乱

1. Raman scattering near a d-wave Pomeranchuk instability, H. Yamase, R. Zeyher, 10.1103/PhysRevB.83.115116, Physical Review B, 83, 2011, 115116 1–11

## 計算材料科学

1. First-principles study of type-I and type-VIII Ba<sub>8</sub>Ga<sub>16</sub>Sn<sub>30</sub> clathrates, Y. Kono, N. Ohaya, T. Taguchi, K. Suekuni, T. Takabatake, S. Yamamoto, and K. Akai, J. Appl. Phys., 107, 2010, 123720/1–6, 博士
2. Magnetism in graphene nanoribbons on Ni(111): First-principles density functional study, K. Sawada, F. Ishii, and M. Saito, Phys. Rev., B82, 2010, 245426 1–5