

# 発 表 論 文

## 金属、合金

1. Microstructure Affecting Magnetoresistance of a Cu<sub>75</sub>-Fe<sub>5</sub>-Ni<sub>20</sub> Alloy, Kang Sung, Takeda Mahoto, Bae Dong-Sik, Takanashi Koki, Mizuguchi Masaki, 10.1143/JJAP.50.045807, JJAP, Vol.50 Issue 4, 2011, 045807-045807-4
2. Free volume change in Zr<sub>50</sub>Cu<sub>40</sub>Al<sub>10</sub> glassy alloy by the annealing studied by positron annihilation spectroscopy, A Ishii, F Hori, Y Fukumoto, A Iwase, Y Yokoyama and T J Konno, Journal of Physics: Conference Series, 265, 2011, 12013
3. Effects of chemical composition on the structural relaxation in ternary Zr-Cu-Al bulk glassy alloys studied by EXAFS and positron annihilation techniques, A. Ishii, S. Mineno, A. Iwase, Y. Yokoyama, T. J. Konno and F. Hori, Mater. Res. Soc. Symp. Proc., 2011, mrsf10-1300-u09-38
4. Microstructure Evolution of Mo-Si-B Ternary Alloys Through Heat Treatment at 1800 ° C, Kyosuke Yoshimi, Seong-Ho Ha, Kouichi Maruyama, Rong Tu, Takashi Goto, Advanced Materials Research, 278, 2012, 527 - 532
5. Effect of Deformation Temperature on Microstructure Evolution in ARB Processed Ultralow Carbon IF Steel, Naoya Kamikawa and Nobuhiro Tsuji, 10.2320/matertrans.MD201115, Mater. Trans., Vol.53, No.1, 2012, 30-37
6. 三相共晶反応を利用したMo-Mo<sub>5</sub>SiB<sub>2</sub>-TiC合金の組織制御, 宮本慎平, 佐藤徹也, 河星鎬, 吉見享祐, 丸山公一, 日本学術振興会耐熱金属材料第123委員会研究報告, 53・1, 2012, 51 - 58

## 半導体

1. X-ray reciprocal space mapping study on semipolar InAlN films coherently grown on ZnO substrates, T. Kajima, A. Kobayashi, K. Shimomoto, K. Ueno, T. Fujii, J. Ohta, H. Fujioka, and M. Oshima, 10.1002/pssr.201105380, physica status solidi (RRL) - Rapid Research Letters, Volume 5, Issue 10-11, 2011, 400-402
2. Line width dependence of anisotropic strain state in SiGe films induced by selective ion implantation, Y. Hoshi, K. Sawano, A. Yamada, S. Nagakura, N. Usami, K. Arimoto, K. Nakagawa, and Y. Shiraki, Applied Physics Express, 4, 2011, 95701
3. Dependence on composition of the optical polarization properties of m-plane In<sub>x</sub>Ga<sub>1-x</sub>N commensurately grown on ZnO, H. Tamaki, A. Kobayashi, J. Ohta, M. Oshima, and H. Fujioka, 10.1063/1.3624462, Applied Physics Letters, Volume 99, Issue 6, 2011, 061912 1-3
4. Coherent growth of r-plane GaN films on ZnO substrates at room temperature, A. Kobayashi, K. Ueno, J. Ohta, and H. Fujioka, 10.1002/pssa.201026397, physica status solidi (a), Volume 208, Issue 4, 2011, 834-837
5. Single Photon Generation from Nitrogen Atomic-Layer Doped Gallium Arsenide, K. Takamiya, Y. Endo, T. Fukushima, S. Yagi, Y. Hijikata, T. Mochizuki, M. Yoshita, H. Akiyama, S. Kuboya, K. Onabe, R. Katayama and H. Yaguchi, 10.4028/www.scientific.net/MSF.7, Materials Science Forum, 706-709, 2012, 2916-2921

6. Formation of compressively strained Si/Si<sub>1-x</sub>C<sub>x</sub>/Si(100) heterostructures using gas-source molecular beam epitaxy, Hiroshi Furukawa, Keisuke Arimoto, Junji Yamanaka, Kiyokazu Nakagawa, Noritaka Usami, Kentarou Sawano, Yasuhiro Shiraki, 10.1016/j.jcrysgro.2011.12.084, J. Cryst. Growth, in press

## 超伝導材料

1. A new numerical method for quasi-particle spectroscopy around a pair of vortices in triplet superconductors, Y. Niwa, M. Kato, K. Maki, <http://dx.doi.org/10.1016/j.jpcs>, J. Phys. Chem. Solids, 72•5, 2011, 392–394
2. Three-dimensional simulation of quasi-particle structures in nano-scaled superconductors, Seiki Oshima, Masaru Kato, <http://dx.doi.org/10.1016/j.jpcs>, Journal of Physics and Chemistry of Solids, 72•5, 2011, 398–402
3. Eigenstates of the linearized Ginzburg–Landau equation for mesoscopic multiply-connected superconductor, O. Sato, M. Kato, <http://dx.doi.org/10.1016/j.phys>, Physica C: Superconductivity, 471.21–22, 2011, 817–819
4. Vortex configuration and vortex–vortex interaction in nano-structured superconductors, Masaru Kato, Yuhei Niwa, Hisataka Suematsu, Takekazu Ishida, <http://dx.doi.org/10.1016/j.phys>, Physica C: Superconductivity, 2012
5. Vortex Dynamics in Corbino Disks: Molecular Dynamics Simulation with Thermal Effect, D.E. Fujibayashi, M. Kato, <http://dx.doi.org/10.1016/j.phys>, Physica C: Superconductivity, 2012

## 磁性、磁性材料

1. Study on nanoscale patterning using ferro–antiferromagnetic transition in [001]-oriented L10 FePtRh film, T. Hasegawa, T. Tomioka, Y. Kondo, H. Yamane and S. Ishio, J. Appl. Phys., Vol. 109, 2011, 07B705 1–3
2. Cyanide-Bridged Molecular Squares – The Building Units of Prussian Blue, Graham N. Newton, Masayuki Nihei, Hiroki Oshio, 10.1002/ejic.201100407, Eur. J. Inorg. Chem., 20, 2011, 3031–3042
3. Cyanide bridged tetranuclear complex with a novel terthiophene based ligand, Mitsumoto, K.; Nishikawa, H.; Oshio, H., 10.1016/j.poly.2011.04.035, Polyhedron, 30, 2011, 3245–3248
4. Multi-Path Magnetic Relaxation of Mono-Dysprosium(III) Single-Molecule Magnet with Extremely High Barrier, A. Watanabe, A. Yamashita, M. Nakano, \* T. Yamamura, T. Kajiwarara\*, Chem. Eur. J., 17, 2011, 7428–7432
5. Ferromagnetic Exchange Couplings Showing a Chemical Trend in Cu–Ln–Cu Complexes (Ln = Gd, Tb, Dy, Ho, Er), T. Shimada, A. Okazawa, N. Kojima, S. Yoshii, H. Nojiri, T. Ishida, 10.1021/ic201944s, Inorganic Chemistry, 50, 2011, 10555–10557

6. [001]-oriented nonepitaxial growth in L1<sub>0</sub>-ordered FePt thin film by SiO<sub>2</sub> addition and rapid thermal annealing, T. Narisawa, T. Hasegawa, S. Ishio, H. Yamane, *J. Appl. Phys.*, Vol. 109, 2011, 033918 1-7
7. L1<sub>0</sub>型FePtRh規則合金薄膜における強磁性-反強磁性相変化とナノ構造体の作製, 長谷川崇, 川戸宏紀, 山根治起, 石尾俊二, *素材物性学雑誌*, Vol. 23, No. 2, 2011, 43-47
8. Syntheses, structures and magnetic properties of heterometal hexanuclear [Mn<sup>III</sup><sub>2</sub>Ln<sup>III</sup><sub>4</sub>] complexes, Shiga, T.; Oshio, H., 10.1016/j.poly.2011.04.033, *Polyhedron*, 30, 2011, 3238-3241
9. Fabrication and magnetic properties of small FePt dot arrays, Z.J. Yan, S. Takahashi, Y. Kondo, J. Ariake, T. Sakon, D.S. Xue, S. Ishio, *J. Phys. D: Appl. Phys.*, Vol. 44, No. 18, 2011, 185002 1-4
10. L1<sub>0</sub>-FePtRh強磁性-反強磁性パターンの形状評価と磁気特性, 長谷川 崇, 石尾 俊二, *電子情報通信学会技術研究報告; 信学技報 (IEICE Technical Report)*, Vol. 111, No. 307, 2011, 27-30
11. High-frequency ESR study on a frustrated mixed spin system BIPNNBNO, T. Kanzawa, Y. Hosokoshi, K. Katoh, K. Inoue and H. Nojiri, 10.1088/1742-6596/320/1/012034, *J. Phys. Conf. Series*, 320, 2011, 012034 1-6
12. 磁石にくっつく超伝導体 - 強磁性と超伝導の微視的な共存 -, 石田憲二, 佐藤憲昭, *パリテイ*, Vol.26 No.4, 2011, 49-54
13. <sup>59</sup>Co-Nuclear Quadrupole Resonance and Nuclear magnetic Resonance Studies on YCoGe -- Comparison between YCoGe and UCoGe --, K. Karube, T. Hattori, Y. Ihara, Y. Nakai, K. Ishida, N. Tamura, K. Deguchi, N. K. Sato, and H. Harima, 10.1143/JPSJ.80.064711, *Journal of the Physical Society of Japan*, 80, 2011, 064711 1-4
14. Magnetic anisotropies in paramagnetic polynuclear metal complexes, Nakano, M; Oshio, H., 10.1039/c0cs00223b, *Chem. Soc. Rev.*, 40, 2011, 3239-3248
15. Cyanide-Bridged [Fe<sub>8</sub>M<sub>6</sub>] Clusters Displaying Single-Molecule Magnetism (M=Ni) and Electron-Transfer-Coupled Spin Transitions (M=Co), Kiyotaka Mitsumoto, Emiko Oshiro, Hiroyuki Nishikawa, Takuya Shiga, Yasuhisa Yamamura, Kazuya Saito, Hiroki Oshio, 10.1002/chem.201101404, *Chem. - Eur. J.*, 17, 2011, 9612-9618
16. Mapping the Sequential Self-Assembly of Heterometallic Clusters: from Helix to Grid, Newton, G. N.; Onuki, T; Shiga, T.; Noguchi M.; Matsumoto, T.; Mathieson, J.S.; Nihei, M.; Nakano, M.; Cronin, L.; Oshio, H., 10.1002/anie.201007388, *Angew. Chem. Int. Ed.*, 50, 2011, 4844-4848
17. <sup>73</sup>Ge-NMR investigation of the hidden order in URu<sub>2</sub>Si<sub>2</sub>, T. MITO, M. HATTORI, G. MOTOYAMA, H. SAKAI, T. KOYAMA, K. UEDA, T. KOHARA, M. YOKOYAMA, and H. AMITSUKA, 10.1143/JPSJS.80SA.SA016, *Journal of the Physical Society of Japan*, 80, 2011, SA016

18. A series of tetranuclear  $[2 \times 2]$  grid complexes derived from an asymmetric ligand: Structural differences based on metal ion affinities, Takuya Shiga, Mao Noguchi, Takuto Matsumoto, Hiroki Sato, Hirotaka Tahira, Graham N. Newton, Hiroki Oshio, 10.1351/PAC-CON-10-12-01, Pure and Appl. Chem. 83, 2011, 1721–1729
19. Wheel-shaped  $\text{Er}^{\text{III}}\text{Zn}^{\text{II}}_3$  Single-Molecule Magnet: A Macrocyclic Approach to Designing Magnetic Anisotropy, A. Yamashita, A. Watanabe, S. Akine, T. Nabeshima, \* M. Nakano, T. Yamamura, T. Kajiwara\*, Angew. Chem. Int. Ed., 50, 2011, 4016–4019
20.  $^{59}\text{Co}$ -NMR/nuclear-quadrupole-resonance (NQR) Studies on Ferromagnetic Superconductor  $\text{UCoGe}$ , T. Hattori, Y. Ihara, K. Ishida, Y. Nakai, E. Osaki, K. Deguchi, N. K. Sato, I. Satoh, 10.1143/JPSJS.80SA.SA007, Journal of the Physical Society of Japan, 80, 2012, SA007 1–6
21. Redox-Controlled Magnetic  $[\text{Mn}_{13}]$  Keggin Systems, Newton, G.N.; Yamashita, S.; Hasumi, K.; Matsuno, J.; Yoshida, N.; Nihei, M.; Shiga, T.; Nakano, M.; Nojiri, H.; Wernsdorfer, W.; Oshio, H., 10.1002/anie.201100515, Angew. Chem. Int. Ed., 50, 2012, 5716–5720
22. Development of microscopic magnetometer with reflective objective using magneto-optical Kerr effect, Y. Kondo, Y. Nakamura, K. Yamakawa, S. Ishio and J. Ariake, J. Appl. Phys., Vol. 111, 2012, 07E324 1–3
23. L10 FePt thin films with [001] crystalline growth fabricated by  $\text{SiO}_2$  addition-rapid thermal annealing and dot patterning of the films, S. Ishio, T. Narisawa, S. Takahashi, Y.E. Kamata, S. Shibata and T. Hasegawa, Z. Yan, H. Yamane, Y. Kondo and J. Ariake, J. Magn. Mater., Vol. 324, 2012, 295–302
24. Superconductivity Induced by Longitudinal Ferromagnetic Fluctuations in  $\text{UCoGe}$ , T. Hattori, Y. Ihara, Y. Nakai, K. Ishida, Y. Tada, S. Fujimoto, N. Kawakami, E. Osaki, K. Deguchi, N. K. Sato, and I. Satoh, 10.1103/PhysRevLett.108.066403, Physical Review Letters, 108, 2012, 066403 1–5
25. Oximate-bridged Light-lanthanoid  $\text{Ln}_4\text{Cu}$  Complexes Showing Ferromagnetic Ln-Cu Exchange Coupling, K. Fujiwara, A. Okazawa, G. Tanaka, S. Yoshii, H. Nojiri, T. Ishida, 10.1016/j.cplett.2012.01.062, Chemical Physics Letters, 530, 2012, 49–54
26. Fabrication of [001] L10-FePtRh ferro-antiferromagnetic pattern by flat-patterning method, T. Hasegawa, T. Tomioka, Y. Kondo, H. Yamane and S. Ishio, J. Appl. Phys., Vol. 111, 2012, 07B903 1–3

## 複合材料

1. Controlled transformation of carbon coating on silicon nanochains into nanotubes of carbon by Joule heating, Hideo Kohno, Takuya Komine, and Satoshi Ichikawa, <http://dx.doi.org/10.1016/j.mseb>, Materials Science and Engineering B, Volume 177, Issue 1, 2012, 96–99

## 生体材料

1. Microstructure and mechanical properties of a biomedical  $\beta$ -type titanium alloy subjected to severe plastic deformation after aging treatment.,H. Yilmazer, M. Niinomi, M. Nakai, J. Hieda, T. Akahori, and Y. Todaka,Key Eng. Mater.,508,2012,152-160
2. Effects of chromium and nitrogen content on the microstructures and mechanical properties of as-cast Co-Cr-Mo alloys for dental applications,Keita Yoda, Suyalatu, Atsushi Takaichi, Naoyuki Nomura, Yusuke Tsutsumi, Hisashi Doi, Shingo Kurosu, Akihiko Chiba, Yoshimasa Igarashi, Takao Hanawa,10.1016/j.actbio.2012.03.024,Acta Biomaterialia,In press
3. Heterogeneous grain refinement of biomedical  $\beta$ -type Ti-29Nb-13Ta-4.6Zr alloy through high-pressure torsion.,M. Nakai, M. Niinomi, H. Yilmazer, J. Hieda and Y. Todaka,Scintia Iranica,In press
4. Heterogeneous structure and mechanical hardness of biomedical  $\beta$ -type Ti-29Nb-13Ta-4.6Zr subjected to high-pressure torsion.,H. Yilmazer, M. Niinomi, M. Nakai, J. Hieda, Y. Todaka, and T. Akahori,10.1016/J.JMBBM.2012.02.022,J. Mech. Behav. Biomed. Mater.,In press
5. Micro-arc oxidation treatment to improve the hard-tissue compatibility of Ti-29Nb-13Ta-4.6Zr alloy,Tsutsumi Y, Niinomi M, Nakai M, Tsutsumi H, Doi H, Nomura N, Hanawa T,10.1016/j.apsusc.2012.01.024,Applied Surface Science,In press
6. Effect of high-pressure torsion processing on microstructure and mechanical properties of a novel biomedical  $\beta$ -type Ti-29Nb-13Ta-4.6Zr after cold rolling.,H. Yilmazer, M. Niinomi, T. Akahori M. Nakai, and Y. Todaka,Int. J. Microst. Mater. Pro.,In press

## 非晶質・ガラス、液体状態、準結晶

1. Viscous flow in sliding shear band formed during tensile deformation,Y. Yokoyama, H. Tokunaga, A. R. Yavari, M. Yamada, T. Yamasaki, K. Fujita, A. Inoue,Intermetallics,Vol. 19,2011,1683-1687
2. Tough Hypoeutectic Zr-Based Bulk Metallic Glasses,Y. Yokoyama, H. Tokunaga, A. R. Yavari, T. Kawamata, T. Yamasaki, K. Fujita, K. Sugiyama, P. K. Liaw and A. Inoue,Metallurgical and Materials Transactions,42A,2011,1468-1475
3. High Chromium Fe-Cr-Mo-P-C Amorphous Coating Films Produced by Thermal Spraying Technique,M. Komaki, T. Miura, R. Kurahasi, M. Kouzaki and T. Yamasaki,Materials Transactions,Vol. 52,2011,474-480

## 薄膜、超微粒子

1. Generation of Intense and Cold Beam of Pt-Ag bi-Element Cluster Ions Having Single-Composition,Hisato Yasumatsu,10.1140/epjd/e2011-10530-9,Eur. Phys. J. D,63,2011,195-200

2. Probing Structures of Small Gold Cluster Cations with Dinitrogen, Naresh Patwari Ganpathi, Tomonori Ito, Kazuhiro Egashira and Akira Terasaki, 10.1002/asia.201000901, Chem. Asian J., 6, 2011, 1834–1838
3. Optical Absorption Spectrum of the Silver Dimer Ion: Temperature Dependence Measured by Photodissociation and Photon-Trap Spectroscopy, Kazuhiro Egashira, Christof Bartels, Tamotsu Kondow and Akira Terasaki, 10.1140/epjd/e2011-10525-6, Eur. Phys. J. D, 63, 2011, 183–188
4. 銅クラスターイオンによるCO酸化反応, 平林 慎一, 市橋 正彦, ナノ学会会報, 10, 1, 2011, 42–44
5. Nano-space charge polarization of monatomic-layered platinum cluster disk constructed on silicon(111)-7 × 7 surface, Hisato Yasumatsu, Palanichamy Murugan, and Yoshiyuki Kawazoe, 10.1002/pssb.201100563, Physica Status Solidi B, In press
6. Spin Coupling and Orbital Angular Momentum Quenching in Free Iron Clusters, M. Niemeyer, K. Hirsch, V. Zamudio-Bayer, A. Langenberg, M. Vogel, M. Kossick, C. Ebrecht, K. Egashira, A. Terasaki, T. Moeller, B. v. Issendorff, and J. T. Lau, 10.1103/PhysRevLett.108.057201, Phys. Rev. Lett., 108, 2012, 057201 1–5
7. Reactions of copper cluster cations with nitrous oxide: Oxidation and sequential N<sub>2</sub>O adsorption, Hirabayashi Shinichi, Masahiko Ichihashi, and Tamotsu Kondow, Chem. Phys. Lett., In press

## 結晶成長、欠陥

1. Effect of crucible cover material on impurities of multicrystalline silicon in a unidirectional solidification furnace, B. Gao, S. Nakano, K. Kakimoto, Journal of Crystal Growth, Vol.318, 2011, 255–258
2. Reducing Impurities of Multicrystalline Silicon in a Unidirectional Solidification Furnace for Solar Cells, B. Gao, S. Nakano, K. Kakimoto, JOM, Vol.63, No.10, 2011, 43–46
3. Behavior of oxygen-related thermal donors in Ge crystals Czochralski-grown from the melt covered fully by B<sub>2</sub>O<sub>3</sub>, T. Taishi, Y. Hashimoto, H. Ise, Y. Murao, T. Ohsawa, Y. Tokumoto, Y. Ohno, I. Yonenaga, Journal of Physics: Conference Series, 281, 2011, 012011/1–012011/6
4. Impurity effects on the generation and velocity of dislocations in Ge, Y. Murao, T. Taishi, Y. Tokumoto, Y. Ohno, I. Yonenaga, Journal of Applied Physics, 109, 2011, 113502/1–113502/5
5. Oxygen doped Ge crystals Czochralski-grown from the B<sub>2</sub>O<sub>3</sub>-fully-covered melt, T. Taishi, H. Ise, Y. Murao, T. Ohsawa, Y. Tokumoto, Y. Ohno, I. Yonenaga, Microelectronic Engineering, 88, 2011, 496–498

6. Boron-Assisted Transformation to Rod-Like Graphitic Carbons from Multi-Walled Carbon Nanotubes in Boron-Mixed Multi-Walled Carbon Nanotube Solids, Y. Sato, H. Nishizaka, K. Motomiya, G. Yamamoto, A. Okubo, H. Kimura, M. Ishikuro, K. Wagatsuma, T. Hashida, K. Tohji, *Applied Materials & Interfaces*, Vol. 3, 2011, 2461–2439
7. Numerical analysis of light elements transport in a unidirectional solidification furnace, Koichi Kakimoto, Bing Gao, and Satoshi Nakano, 10.1002/pssc.201000117, *Phys. Status Solidi C*, 8, No. 3, 2011, 659–661
8. Time-resolved X-ray diffraction study on solidification of Fe-B and Fe-C eutectic alloys, A. Mizuno, J. Tamura, S. Kohara and M. Watanabe, *Materials Science Forum*, 706–709, 2012, 1702–1706
9. Numerical analysis of cooling rate dependence on dislocation density in multicrystalline silicon for solar cells, S. Nakano, X.J. Chen, B. Gao, K. Kakimoto, *Journal of Crystal Growth*, Volume 318, 2011, 280–282
10. Influence of reaction between silica crucible and graphite susceptor on impurities of multicrystalline silicon in a unidirectional solidification furnace, B. Gao, S. Nakano, K. Kakimoto, *Journal of Crystal Growth*, Volume 314, 2011, 239–245
11. Thermodynamic analysis of SiC polytype growth by physical vapor transport method, K. Kakimoto, B. Gao, T. Shiramomo, S. Nakano, Shi-ichi Nishizawa, *Journal of Crystal Growth*, Vol. 324, 2011, 78–81
12. Comparative study on structural variations during containerless solidification processes of Fe-B and Fe-C eutectic alloys, A. Mizuno, J. Tamura, S. Kohara and M. Watanabe, *ISIJ International*, 55, 5, 2012, 770–773

## 表面、界面

1. Atomic surface of nanoscale quasicrystal-forming Zr-noble metal binary metallic glasses, J. Saida, K. Itoh, T. Sanada, S. Sato, M. Imahuku, M. Ohmura, A. Inoue, *Journal of Alloys and Compounds*, 509S, 2011, S27–S33

## 結晶構造(X線、電子線回折)

1. Raman Spectroscopic Investigation of Almahata Sitta combined with electron microprobe analyses, Gigler A. M., Kaliwoda M., Hochleitner R., Mikouchi T., Schmahl W. W., Hoffmann V. H., *Geophysical Research Abstracts*, 13, 2011, EGU2011–12278
2. Microstructural characterization of high-manganese austenitic steels with different stacking fault energies, Shigeo Sato, Eui-Pyo Kwon, Muneyuki Imahuku, Kazuaki Wagatsuma, Shigeru Suzuki, *Materials Characterization*, Vol. 62 No. 8, 2011, 781–788
3. A new iron pnictide oxide (Fe<sub>2</sub>As<sub>2</sub>)(Ca<sub>5</sub>(Mg,Ti)<sub>4</sub>O<sub>y</sub>) and a new phase in the Fe-As-Ca-Mg-Ti-O system, H. Ogino, Y. Shimizu, N. Kawaguchi, K. Kishio, J. Simoyama, T. Tohei, Y. Ikuhara, doi:10.1088/0953-2048/24/8/08502, *Superconductor Science and Technology*, 24, 2011, 85020
4. Evolution of texture and dislocation distributions in high-ductile austenitic steel, Shigeo Sato, Toshiki Yoshimura, Yohei Takahashi, Nao Yamada, Kazuaki Wagatsuma, Shigeru Suzuki, *Powder Diffraction Journal*, Vol. 26, No. 2, 2011, 129–133

5. Almahata Sitta meteorite: Combination of Raman spectroscopy and electron microprobe analysis within the ureilitic lithologies, Kaliwoda M., Hochleitner R., Hoffmann V. H., Mikouchi T., Gigler A. M., Fehr K.-T., Schmahl W. W., Antarctic Meteorites, XXXIV, 2011, 36–37
6. Electron back-scatter diffraction study of iron metal in Almahata Sitta ureilite, Mikouchi T., Goodrich C. A., Hoffmann V. H., Zolensky M. E., Sugiyama K., Meteoritics and Planetary Science, 46, 2011, 5427
7. Magnetism and mineralogy of Almahata Sitta polymict ureilite, Hoffmann V. H., Hochleitner R., Torii M., Funaki M., Mikouchi T., Almahata Sitta Consortium, Meteoritics and Planetary Science, 46, 2011, 1551–1564
8. MgAl<sub>2</sub>O<sub>4</sub>スピネル固溶体の結晶化学: 高温高圧下や元素置換において観測される特異な陽イオン席選択性, 吉朝 朗, 前川英己, 杉山和正, 日本結晶学会誌, 53, 2011, 13–18
9. New Raman spectroscopic data of the Almahata Sitta meteorite, Kaliwoda M., Hochleitner R., Hoffmann V. H., Mikouchi T., Gigler A. M. and Schmahl W. W., LPI Contribution No. 1616, "Conference on Micro-Raman Spectroscopy and Luminescence Studies in the Earth and Planetary Sciences", 2011, 45
10. Precise structure analyses of advanced materials under high-pressure and high-temperature., Akira Yoshiasa, Kei-ichiro Murai, Hiroshi Arima and Yoshinori Katayama, International Journal of Modern Physics B, 25, 2011, 4159–4162
11. Mineralogy and crystallography of vein metals in the Almahata Sitta ureilite, Mikouchi T., Goodrich C. A., Hoffmann V. H., Satake W., Kaliwoda M., Hochleitner R., Gigler A. M., Sugiyama K., Zolensky M. E., Antarctic Meteorites, XXXIV, 2011, 49–50
12. A design of backing seat and gasket assembly in diamond anvil cell for accurate single crystal x-ray diffraction to 5 Gpa, K. Komatsu, H. Kagi, T. Yasuzuka, T. Koizumi, R. Iizuka, K. Sugiyama, Y. Yokoyama, 10.1063/1.3646460, Review of Scientific Instruments, 82, 2011
13. Magnetic signature of E-chondritic lithologies of Almahata Sitta and comparison with Neuschwanstein (EL6), Hoffmann V. H., Hochleitner R., Kaliwoda M., Torii M., Funaki M., Mikouchi T., Lunar and Planetary Science, XLIII, 2012, 2342

## 電氣的、光学的性質

1. Influence of thermal annealing on the carrier extraction in Ge/Si quantum dot solar cells, T. Tayagaki, N. Usami, and Y. Kanemitsu, Jpn. J. Appl. Phys., In press
2. テラヘルツ及び赤外-紫外分光法を用いたPEDOT:PSSキャリア輸送特性の非破壊評価, 山下将嗣, PEDOTの材料物性とデバイス応用, 2012, 206–213



## 電気化学的性質、腐食、触媒

1. Corrosion resistant TiO<sub>2</sub> film formed on magnesium by liquid phase deposition treatment, R. Fujita, M. Sakairi, T. Kikuchi and S. Nagata, <http://dx.doi.org/10.1016/j.elec>, *Electrochimica Acta*, 56 • 20, 2011, 7180–7188

## 機械的性質

1. Tensile Properties in Electrodeposited Nanocrystalline Ni–W alloy, K. Fujita, T. Suidu and T. Yamasaki, *J. Japan Inst. Metals*, Vol. 75, No. 6, 2011, 348–354

## 分光、分析、NMR、メスバウアー

1. Analysis of Atomic Scale Chemical Environments of Boron in Coal by <sup>11</sup>B Solid State NMR, T. Takahashi, S. Kashiwakura, K. Kanehashi, S. Hayashi, T. Nagasaka, [10.1021/es102312d](https://doi.org/10.1021/es102312d), *Environmental Science & Technology*, Vol. 45, No. 3, 2011, 890–895
2. Excitation Mechanism of Silver Ionic Lines Through Collisions with Metastable Atoms of Plasma Gas in a Glow-Discharge Plasma, K. Wagatsuma, *Spectroscopy Letters*, Vol. 44, 2011, 151–157
3. Solubility of Calcium and Oxygen in Molten iron equilibrated with slag in CaO, Al<sub>2</sub>O<sub>3</sub>, or CaO-stabilized ZrO<sub>2</sub> crucible at 1873 K, I. Seki, K. Nagata, T. Ashino, and J. Tanabe, *ISIJ International*, Vol. 51, No. 9, 2011, 1369–1374
4. フッ化物分離/モリブドケイ酸青吸光光度法におけるコンタミネーションの抑制, 芦野哲也, 戸澤浩一, 我妻和明, *分析化学*, Vol. 60, No. 2, 2011, 175–178
5. Effect of excitation states of nitrogen on the surface nitridation of steels, S. Sato, H. Hirai, S. Araki, K. Wagatsuma, *Advances in Applied Surface Engineering*, Vol. 43, 2011, 231–237
6. Boltzmann Statistical Consideration on the Excitation Mechanism of Iron Atomic Lines Emitted from Glow Discharge Plasmas, L. Zhang, S. Kashiwakura, K. Wagatsuma, [10.1016/j.sab.2011.10.002](https://doi.org/10.1016/j.sab.2011.10.002), *Spectrochimica Acta Part B: Atomic Spectroscopy*, Vol. 66, Issues 11–12, 2011, 785–792
7. Vaporization Behavior of Boron from Standard Coals in the Early Stage of Combustion, S. Kashiwakura, T. Takahashi, T. Nagasaka, [10.1016/j.fuel.2010.12.029](https://doi.org/10.1016/j.fuel.2010.12.029), Vol. 90, No. 4, 2011, 1408–1415

8. Metallurgical Consideration on the Calibration Curve for Binary Alloy Sample in Low-pressure Argon Laser-induced Plasma Spectroscopy, Y. Sasaki, H. Shimada, K. Wagatsuma, 10.2116/analsci.27.453, Analytical Sciences, Vol. 27, No.4, 2011, 453-456
9. レーザー誘起プラズマ発光分光法における鉄-クロム合金の原子化及び励起挙動の解析と検量線の作成, 島田温彦, 我妻和明, 10.2116/bunsekikagaku.60.59, 分析化学, Vol.60, No.1, 2011, 59-65
9. Effect of excitation states of nitrogen on the surface nitridation of iron and steel in d.c. glow discharge plasma, Shigeo Sato, Hirokazu Hirai, Sawa Araki, and Kazuaki Wagatsuma, 10.1002/sia.3673, Surface and Interface Analysis, Vol.43, 2011, 964-970
10. Measuring Conditions for the Determination of Lead in Iron-Matrix Samples Using Graphite Furnace Atomizers with/without a Platform in Graphite Furnace Atomic Absorption Spectrometry, S. Morimoto, T. Ashino, and K. Wagatsuma, American Journal of Analytical Chemistry, Vol.2, No.6, 2011, 710-717
11. Dissolution behavior of selenium from coal fly ash into dilute H<sub>2</sub>SO<sub>4</sub> solvent for the development of acid washing process, S. Kashiwakura, H. Ohno, Y. Kumagai, H. Kubo, K. Matsubae, T. Nagasaka, 10.1016/j.chemosphere.2011.06.09, Chemosphere, Vol.85 No.4, 2011, 598-602
12. Spatially-resolved Observation of the Excitation Temperature in a Glow Discharge Plasma for Atomic Emission Spectroscopy, M. Matsuura, K. Wagatsuma, Analytical Sciences, Vol.27, 2011, 231-235
13. カーボンナノチューブ-ホウ素焼結体中に含まれる無定形ホウ素と炭化ホウ素の形態別分離定量, 石黒三岐雄, 佐藤義倫, 田路和幸, 我妻和明, 分析化学, Vol.60, No.10, 2012, 807-811

## 中性子、電子、イオン、X線散乱

1. X線小角散乱法を用いた水素中時効Cu-Ti合金の析出挙動解析, 高橋洋平, 佐藤成男, 千星聡, 鈴木茂, 銅と銅合金, 第50巻1号, 2011, 190-193
2. Fermi surface truncation from thermal nematic fluctuations, Hiroyuki Yamase, Walter Metzner, Phys. Rev. Lett., In press

## 計算材料科学

1. First-Principles Calculations of Hydrogen and Hydrogen-Vacancy Pairs in Graphene, N. S. Nurainun, J. Lin, M. S. Alam, K. Nishida, and M. Saito, Trans. Mat. Res. Soc. Jpn., 36, 2011, 619-621

2. Fast-ionic conductivity of Li<sup>+</sup> in LiBH<sub>4</sub>, Tamio Ikeshoji, Eiji Tsuchida, Tetsuya Morishita, Kazutaka Ikeda, Motoaki Matsuo, Yoshiyuki Kawazoe, and Shin-ichi Orimo, 10.1103/PhysRevB.83.144301, Physical Review B, 83卷 14号, 2011, 144301 1-5
3. First-Principles Calculation of the Interlayer Distance of the Two-Layer Graphene, M. S. Alam, J. Lin, and M. Saito, Jpn. J. Appl. Phys., 50, 2011, 802133 1-3
4. Segregation Diagram of a Mixture of Particles with Different Sizes and Densities, S. Shimamura, T. Takahira, S. Suga, H. Tamura, and Y. Senda, Proceedings of the 9th International Conference on Measurement and Control of Granular Materials, 2011, 189-192
5. Optimization of Thermal and Mechanical Properties in Nanoporous Materials, Iwan Sumirat, Noriyuki Yamamoto, and S. Shimamura, Transactions of the Materials Research Society of Japan, 36 [2], 2011, 281-284
6. Magnetism in Dehydrogenated Armchair Graphene Nanoribbon, K. Sawada, F. Ishii, and M. Saito, J. Phys. Soc. Jpn., 80, 2011, 44712 1-5
7. Edge States of Bi Nanoribbons on Bi Substrates: First-Principles Density Functional Study, H. Kotaka, F. Ishii, M. Saito, T. Nagao, and S. Yaginuma, Jpn. J. Appl. Phys., 51, 2012, 025201 1-4
8. Fast convergence to equilibrium for long-chain polymer melts using a MD/continuum hybrid method, Yasuhiro Senda, Miyuki Fujio, Shuji Shimamura, Janne Blomqvist, and Risto M Nieminen, Journal of Chemical Physics, In press
9. Model calculation of the pore-size and porosity dependences of bulk moduli in nanoporous materials, Iwan Sumirat and Shuji Shimamura, 10.1007/s10934-011-9558-6, Journal of Porous Materials, In press