

発 表 論 文

金属、合金

1. An Advanced Fitting Method for Crystallographic and Morphological Analyses of EBSD Data Applied for Low-Carbon Steel Martensite, Anh H. Pham, Takuya Ohba, Shigekazu Morito and Taisuke Hayashi, <http://dx.doi.org/10.2320/matert>, Materials Transactions, Vol. 54, No. 8, 2013, 1396-1402
2. 中炭素鋼ラスマルテンサイトの三次元構造, 森戸茂一, 一ノ谷健太, 大庭卓也, 林泰輔, 古原忠, 宮本吾郎, 熱処理, 53, 2013, 97-98
3. Quantitative analysis of three-dimensional morphology of martensite packets and blocks in iron-carbon-manganese steels, Shigekazu Morito, Yuma Edamatsu, Kenta Ichinotani, Takuya Ohba, Taisuke Hayashi, Yoshitaka Adachi, Tadashi Furuhashi, Goro Miyamoto, Naoki Takayama, <http://dx.doi.org/10.1016/j.jall>, Journal of Alloys and Compounds, 577S, 2014, S587-S592
4. 冷延焼鈍後のフェライト-マルテンサイト二相組織鋼中のマルテンサイトの結晶学的組織解析, 吉田裕美, 高木周作, 酒井翔大, 森戸茂一, 大庭卓也, <http://dx.doi.org/10.2355/tetsut>, 鉄と鋼, 99, 2013, 625-633
5. 宇宙観測で利用されるシンチレータ結晶 : PoGOLite気球実験, 高橋弘充, PoGOLiteチーム, 日本結晶成長学会誌, 40・3, 2013, 167-174
6. Flow Stress Analysis for Determining Critical Condition of Dynamic Ferrite Transformation in 6Ni-0.1C Steel, Nokeun Park, Akinobu Shibata, Daisuke Terada and Nobuhiro Tsuji, 10.1016/j.actamat.2012.09.043, Acta Mater., Vol.61, Issue 1, 2013, 163-173
7. Occurrence of dynamic ferrite transformation in low carbon steel above Ae3, Nokeun Park, Sunisa Khamsuk, Akinobu Shibata and Nobuhiro Tsuji, 10.1016/j.scriptamat.2012.12.010, Scripta Mater., Vol. 68, Issue 7, 2013, 538-541
8. Effect of austenite grain size on kinetics of dynamic ferrite transformation in low carbon steel, Nokeun Park, Sunisa Khamsuk, Akinobu Shibata and Nobuhiro Tsuji, 10.1016/j.scriptamat.2012.12.021, Scripta Mater., Vol.68, Issue 8, 2013, 611-614
9. Experimental Study of Moss-T2, Moss-Mo3Si-T2, and Mo3Si-T2 Eutectic Reactions in Mo-rich Mo-Si-B Alloys, Seong-Ho Ha, Kosuke Yoshimi, Junya Nakamura, Takahiro Kaneko, Kouichi Maruyama, Rong Tu, Takashi Goto, <http://dx.doi.org/10.1016/j.jall>, Journal of Alloys and Compounds, 594, 2014, 52-59
10. Phase Equilibria, Microstructure, and High Temperature Strength of TiC-Added Mo-Si-B Alloys, Shimpei Miyamoto, Kyosuke Yoshimi, Seong-Ho Ha, Takahiro Kaneko, Junya Nakamura, Tetsuya Sato, Kouichi Maruyama, Rong Tu, Takashi Goto, <http://dx.doi.org/10.1007/s11661>, Metallurgical and Materials Transactions A, 45A, 2014, 1112-1123

半導体

1. Large-grained polycrystalline (111) Ge films on insulators by thickness-controlled Al-induced crystallization, K. Nakazawa, K. Toko, N. Usami, and T. Suemasu, ESC Journal of Solid State Science and Technology, Vol. 2, 2013, Q195-199
2. Double-layered Ge Thin Films on Insulators Formed by an Al-induced layer exchange process, K. Toko, K. Nakazawa, N. Saitoh, N. Yoshizawa, N. Usami, and T. Suemasu, Crystal Growth and Design, Vol. 13, 2013, 3908
3. Temperature dependent Al-induced crystallization of amorphous Ge thin films on SiO₂ substrates, K. Toko, N. Fukata, K. Nakazawa, M. Kurosawa, N. Usami, M. Miyao, and T. Suemasu, Journal of Crystal Growth, Vol. 372, 2014, 189-192
4. Al-induced Crystallization of Amorphous-Ge Thin Films on Conducting Layer Coated Glass Substrates, K. Nakazawa, K. Toko, N. Usami, and T. Suemasu, Jpn. J. Appl. Phys, Vol. 53, 2014, 04EH01
5. Structural Characterization of Polycrystalline Ge Thin Films on Insulators Formed by Diffusion-enhanced Al-Induced Layer Exchange, R. Numata, K. Toko, N. Oya, N. Usami, and T. Suemasu, Jpn. J. Appl. Phys, Vol. 53, 2014, 04EH03
6. Orientation control of Ge thin films by underlayer-selected Al-induced crystallization, K. Toko, K. Nakazawa, N. Saitoh, N. Yoshizawa, N. Usami, and T. Suemasu, CrystEngComm, Vol. 16, 2014, 2578-2583
7. Low-temperature (180° C) formation of large-grained Ge (111) thin film on insulator using accelerated metal-induced crystallization, K. Toko, R. Numata, N. Oya, N. Fukata, N. Usami, and T. Suemasu, Appl. Phys. Lett., Vol. 104, 2014, 022106-1-4
8. Growth promotion of Al-induced crystallized Ge films on insulators by inserting Ge membranes into Al layers, R. Numata, K. Toko, N. Usami, and T. Suemasu, 10.1016/j.tsf.2013.08.040, Thin Solid Films, 2014
9. Effect of Ge/Al thickness on Al-induced crystallization of amorphous Ge layers on glass substrates, K. Nakazawa, K. Toko, N. Saitoh, N. Yoshizawa, N. Usami, and T. Suemasu, Physica Status Solidi ©, 10, 2013, 1781
10. Molecular beam epitaxy of ErGaAs alloys on GaAs (001) substrates, Ri Guo Jin, Shuhei Yagi, Yasuto Hijikata, Shigeyuki Kuboya, Kentaro Onabe, Ryuji Katayama, Hiroyuki Yaguchi, 10.1016/j.jcrysgro.2012.12.043, Journal of Crystal Growth, Vol. 378, 2013, 85-87
11. Biexciton emission from single isoelectronic traps formed by nitrogen-nitrogen pairs in GaAs, K. Takamiya, T. Fukushima, S. Yagi, Y. Hijikata, T. Mochizuki, M. Yoshita, H. Akiyama, S. Kuboya, K. Onabe, R. Katayama and H. Yaguchi, 10.1063/1.4848523, AIP Conference Proceedings, 1566, 2013, 538-539

超伝導材料

1. Vortex Dynamics in Nano-Sized Superconductors, M. Kato, D. E. Fujibayashi, O. Sato, <http://dx.doi.org/10.7566/JPSCP.>, JPS Conference Proceedings, 1-2, 2014, 012113 1-4
2. Vortex states in de facto mesoscopic Mo₈₀Ge₂₀ pentagon plates, H. T. Huy, M. Kato, T. Ishida, doi:10.1088/0953-2048/26/6/06500, Superconductor Science and Technology, 26-6, 2013, 065001 1-11

磁性、磁性材料

1. Magnetic phase diagram and crystalline structure of polycrystalline FeMnPt films, FeMnPt多結晶薄膜の結晶構造と磁気相図, T. Hasegawa and S. Ishio, Journal of the society of materials engineering for resources of Japan(素材物性学雑誌), Vol. 25, No. 1/2, 2013, 5-12
2. Ferromagnetic-paramagnetic patterning of FePtRh films by Fe ion implantation, T. Hasegawa, Y. Kondo, H. Yamane, S. Nagamachi, and S. Ishio, IEEE Trans. Magn., Vol. 49, No. 7, 2013, 3604-3607
3. Microwave magnetic properties of the oriented CoIr soft magnetic film with negative magnetocrystalline anisotropy, T. Wang, Y. Wang, G. Tan, F. Li, S. Ishio, Physica B: Condensed Matter, Vol. 417, 2013, 24-27
4. Towards an understanding of microstructure of patterned FePt dots by magnetometry using pulse fields, Z.J. Yan, S. Takahashi, T. Hasegawa, S. Ishio, Y. Kondo, J. Ariake, J. Magn. Magn. Mater., Vol. 349, 2014, 5-8
5. Switching field distribution and magnetization reversal process of FePt dot patterns, S. Ishio, S. Takahashi, T. Hasegawa, A. Arakawa, H. Sasaki, Z. Yan, X. Liu, Y. Kondo, H. Yamane, J. Ariake, M. Suzuki, N. Kawamura, M. Mizumaki, J. Magn. Magn. Mater., Vol. 360, 2014, 205-210
6. Fabrication of dot pattern using magnetic phase change on Pt ion-implanted L10 FePtRh film with high magnetocrystalline anisotropy, T. Hasegawa, T. Yamazaki, Y. Kondo, and S. Ishio, J. Appl. Phys., Vol. 115, No. 17, 2014, 17B721 1-3
7. フラット・パターニング法により作製したL10 FePtRhパターンにおけるナノスケール組成分布と磁気特性, 長谷川 崇, 石尾 俊二, 電子情報通信学会技術研究報告; 信学技報 (IEICE Technical Report), Vol. 113, No. 102, 2013, 27-31
8. Effects of frustration on magnetic excitations in a two-leg spin-ladder system, T. Sugimoto, M. Mori, T. Tohyama, and S. Maekawa, 10.1103/PhysRevB.87.155143, Phys. Rev. B, 87, 2013, 155143
9. Investigation of Local Symmetries in the Hidden-Order Phase of URu₂Si₂, Takeshi Mito, Midori Hattori, Gaku Motoyama, Yoshio Sakai, Takehide Koyama, Koichi Ueda, Takao Kohara, Makoto Yokoyama, Hiroshi Amitsuka, 123704, 10.7566/JPSJ.82.123704, JPSJ, 82, 2013, 123704-1-4

10. Magnetic-Field Modulation of the Josephson Effect between URu₂Si₂ and Al, Akihiko Sumiyama, Kazuyoshi Hikawa, Jun Gouchi, Gaku Motoyama, Akira Yamaguchi, Tetsuo Honma, Etsuji Yamamoto, Yoshinori Haga, Yoshichika Onuki, 025005, 10.7566/JPSJ.82.025005, JPSJ, 82, 2013, 025005-1-2
11. Thermal and Magnetic Properties in Ce_{1-x}Er_xAl₂ Intermetallic Compounds, Masashi Ohashi, Hidenori Miyagawa, Tomohito Nakano, Gendo Oomi, Vladimir Sechovsky, Isamu Satoh, Takemi Komatsubara, 024701, 10.7566/JPSJ.83.024701, JPSJ, 83, 2014, 024701-1-5
12. Spin susceptibility in the superconducting state of the ferromagnetic superconductor UCoGe, T. Hattori, K. Karube, Y. Ihara, and K. Ishida, K. Deguchi and N. K. Sato, T. Yamamura, 10.1103/PhysRevB.88.085127, Phys. Rev. B, 88, 2013, 085127-1-5
13. Transport and magnetic properties of fully epitaxial superconducting NbN/halfmetallic Heulser alloy Co₂MnSi bilayer films, I. Shigeta, Y. Sakuraba, S. Kimura, K. Koyama, K. Watanabe, K. Takanashi, M. Hiroi, <http://dx.doi.org/10.3379/msjmag>, Journal of Magnetism Society of Japan, 37, 2013, 222-226
14. Crystal structure and magnetic properties of a verdazyl biradical m-Ph-V₂ forming a ferromagnetic alternating double-chain, Kenji Iwase, Hironori Yamaguchi, Toshio Ono, Tokuro Shimokawa, Hiroki Nakano, Akira Matsuo, Koichi Kindo, Hiroyuki Nojiri, and Yuko Hosokoshi, J. Phys. Soc. Jpn., 82•7, 2013
15. Crystal structure and magnetic properties of honeycomb-lake lattice antiferromagnet p-BIP-V₂, Hironori Yamaguchi, Shintaro Nagata, Masami Tada, Kenji Iwase, Toshio Ono, Sadafumi Nishihara, Yuko Hosokoshi, Tokuro Shimokawa, Hiroki Nakano, Hiroyuki Nojiri, Akira Matsuo and Koichi Kindo, Takashi Kawakami, Phys. Rev.B, 87•12, 2013

複合材料

1. Fabrication and Electrochemical Performance of Lithium Polymer Battery Using Mesoporous Silica/Polymer Hybrid Electrolyte, M. Nakayama, T. Okajima, Y. Yamamoto, S. Baba, K. Iizuka, M. Nogami, D. Mochizuki, T. Kiguchi, S. Kuroki, 10.2109/jcersj2.121.723, J. Ceram. Soc. Jpn, 121, 2013, 723-729

非晶質・ガラス、液体状態、準結晶

1. Local structure of iron in tektites and natural glass probed by X-ray absorption fine structure spectroscopy, Ling Wang, Akira Yoshiasa, Maki Okube, Tatsuya Hiratoko, Yuan Hu, Hiroshi Isobe, Hiroshi Arima and Kazumasa Sugiyama, Journal of Mineralogical and Petrological Sciences, 108, 2013, 288-294
2. Nano-microscale moulding of some metal plates with high strength Ni-W alloy moulds, T. Yamasaki, M. Yamada, H. Adachi, T. Nabeshima and Y. Yokoyama, DOI 10.1007/s00542-013-2005-7, Microsystem technologies, 2013

3. Zr-Cu-Ni-Al系金属ガラスの過冷却液体粘度と熱的特性の合金組成依存性, 山田昌弘、山崎徹、横山義彦, 10.2320/jinstmet.J2013055, 日本金属学会誌, 78巻、2号, 2014, 90-97
4. 電解析出ナノ結晶Ni-W合金の疲労特性, 藤田和孝、長岡健太、水津泰士、鍋島隆行、山崎徹, 10.2320/jinstmet.J2012067, 日本金属学会誌, 77巻、5号, 2013, 192-197
5. Martensitic Transformation from Nanocrystalline Austenite in Fe-Ni Alloys Fabricated by Electrodeposition, F. Ichikawa, A. Shibata, H. Adachi, T. Yamasaki and N. Tsuji, Proceedings of PRICM8, 2013, 3315-3322
6. Detection of structural change of Pd-Cu-Ge metallic glass thin films upon heat treatment by using X-ray reflectivity, T. Yamamoto, K. Hayashi, K. Suzuki, M. Ito, 10.7567/JJAP.53.05FH03, Japanese Journal of Applied Physics, 53, 2014, 05FH03 1-4

薄膜、超微粒子

1. Oxidation of composition-selected cerium oxide cluster cations by O₂, Shinichi Hirabayashi and Masahiko Ichihashi, 10.1016/j.cplett.2013.02.019, Chem. Phys. Lett., 564, 2013, 16-20
2. CO oxidation by copper cluster anions, Shinichi Hirabayashi, Yoshiyuki Kawazoe and Masahiko Ichihashi, 10.1140/epjd/e2012-30493-5, Eur. Phys. J. D, 67, 2013, 35
3. Oxidation of CO and NO on Composition-Selected Cerium Oxide Cluster Cations, Shinichi Hirabayashi and Masahiko Ichihashi, 10.1021/jp406339z, J. Phys. Chem. A, 117, 2013, 9005-9010
4. Reactions of Size-Selected Copper Cluster Cations and Anions with Nitric Oxide: Enhancement of Adsorption and Reactivity of NO in Coadsorption with Oxygen, Shinichi Hirabayashi and Masahiko Ichihashi, 10.1021/jp410059e, J. Phys. Chem. A, 118, 2014, 1761-1768
5. Thermal stability of uni-size Pt cluster disk constructed on silicon substrate, Nobuyuki Fukui and Hisato Yasumatsu, 10.1140/epjd/e2013-30648-x, Eur. Phys. J. D, 67, 2013, 81
6. Ultrahigh-sensitive detection of molecules produced in catalytic reactions by uni-atomic-composition bi-element clusters supported on solid substrate, Hisato Yasumatsu and Nobuyuki Fukui, 10.1088/1742-6596/438/1/012004, J. Phys. Conf. Ser., 438, 2013, 012004/1-8
7. Low-temperature catalytic activity of CO oxidation by uni-size Pt₃₀ cluster disks bonded to silicon substrate, Hisato Yasumatsu and Nobuyuki Fukui, 10.1002/cjce.21987, Can. J. Chem. Eng., in press, 2014

結晶成長、欠陥

1. Thermodynamic Interpretation of the Morphology Individuality of Natural and Synthesized Apatite Single Crystals, Takaomi Suzuki, Haruka Takemae, Mika Yoshida, Journal of Crystallization Process and Technology, Vol. 3, No. 4, 2013, 119–122
2. Impurity partitioning during colloidal crystallization, Jun Nozawa, Satoshi Uda, Yuhei Naradate, Haruhiko Koizumi, Kozo Fujiwara, Akiko Toyotama, and Junpei Yamanaka, 10.1021/jp309550y, J.Phys.Chem.B, vol. 117 no.17, 2013, 5289–5295
3. Growth of InAs/GaAs quantum dots with central emission wavelength of 1.05 μ m using In-flush technique for broadband near-infrared light source, Yuji Hino, Nobuhiko Ozaki, Shunsuke Ohkouchi, Naoki Ikeda, Yoshimasa Sugimoto, 10.1016/j.jcrysgro.2012.12.077, J. Crystal Growth, 378, 2013, 501–505
4. 生体・医療OCT光源への応用を目指した1 μ m帯広帯域発光InAs量子ドットの作製と光学評価, 尾崎信彦、日野雄司、大河内俊介、池田直樹、杉本喜正, 10.2472/jsms.62.679, 材料, vol. 62, no. 11, 2013, 679–682
5. Broadband emission centered at \sim 1 μ m with a Gaussian-like spectrum by stacking In-flushed QD layers, Nobuhiko Ozaki, Yuji Hino, Shunsuke Ohkouchi, Naoki Ikeda, and Yoshimasa Sugimoto, 10.1002/pssc.201300291, Phys. Status Solidi C, 10, 2013, 1361–1364
6. Improved Czochralski Growth of Germanium Single Crystals from a Melt Covered by Boron Oxide, T. Taishi, I. Yonenaga, K. Hoshikawa, ACTA PHYSICA POLONICA A, 124, 2013, 231–234
7. Constitutional supercooling in heavily As-doped Czochralski Si crystal growth, Toshinori Taishi, Yutaka Ohno, Ichiro Yonenaga, J. Cryst. Growth, 393, 2014, 42–44
8. Effect of the Inclusion of Transparency on the Thermal Field and Interface Shape in Long-term Sublimation Growth of SiC Crystals, Bing Gao and Koichi Kakimoto, 日本結晶成長学会誌, Vol.40, No.1, 2013, 20–24
9. Dislocation-density-based modeling of the plastic behavior of 4H-SiC single crystals using the Alexander-Haasen model, B. Gao, K.Kakimoto, <http://dx.doi.org/10.1016/j.jcry>, Journal of Crystal Growth, 386(2014), 2014, 215–219
10. Study of the effect of doped impurities on polytype stability during PVT growth of SiC using 2D nucleation theory, T. Shiramomoa, B. Gao, F. Mercierc, S. Nishizawac, S. Nakanob, K. Kakimoto, <http://dx.doi.org/10.1016/j.jcry>, Journal of Crystal Growth, Volume 385, 2014, 95–99
11. Optimization of power control in the reduction of basal plane dislocations during PVT growth of 4H-SiC single crystals, B. Gao, K.Kakimoto, <http://dx.doi.org/10.1016/j.jcry>, Journal of Crystal Growth, 392(2014), 2014, 92–97
12. Three-Dimensional Modeling of Basal Plane Dislocations in 4H-SiC Single Crystals Grown by the Physical Vapor Transport Method, Bing Gao and Koichi Kakimoto, DOI: 10.1021/cg401789g, Cryst. Growth Des., 2014, 14 (3), 2014, 1272–1278

13. Towards implementation of floating cast method for growing large-scale high-quality multicrystalline silicon ingot using designed double crucibles, Supawan Joonwichien, Isao Takahashi, Satoru Matsushima, Noritaka Usami, 10.1002/pip.2428, PROGRESS IN PHOTOVOLTAICS: RESEARCH AND APPLICATIONS, in press, 2014

結晶構造(X線、電子線回折)

1. Effective pair potential for Ca–O bonds in CaGeO₃ polymorphs., Ai Koganemaru, Akira Yoshiasa, Ling Wang, Tomotaka Nakatani, Akihiko Nakatsuka, Maki Okube, Hiroshi Arima and Kazumasa Sugiyama., Journal of Physics: Conference Series, 430, 2013, 012068 4pp
2. Temperature dependence of pre-edge feature in Ti K-edge XANES spectra for ATiO₃ (A= Ca and Sr), A₂TiO₄ (A=Mg and Fe), TiO₂ rutile and TiO₂ anatase., Tatsuya Hiratoko, Akira Yoshiasa, Tomotaka Nakatani, Maki Okube, Akihiko Nakatsuka and Kazumasa Sugiyama, Journal of Synchrotron Radiation, 20, 2013, 641–643
3. Single-crystal metastable high-temperature C2/c clinoenstatite quenched rapidly from high temperature and high pressure, A. Yoshiasa, A. Nakatsuka, M. Okube and T. Katsura, Acta Crystallographica B, 69, 2013, 541–546
4. Crystal Structures of Cobalt Exchanged Sodium GTS-type Titanosilicates and the Elution Test by Acid Solution, K. Fujiwara, T. Tamaki, C. Kishimori, R. Titorenkova, A. Nakatsuka and N. Nakayama, Transactions of the Materials Research Society of Japan, 38[8], 2013, 455–458
5. Structural Phase Transitions of Li₂MgSiO₄ and Li₂MgGeO₄, N. Nakayama, K. Takahashi, K. Fujiwara, A. Nakatsuka, M. Isobe and Y. Ueda, Transactions of the Materials Research Society of Japan, 38[3], 2013, 419–422
6. Temperature dependence of pre-edge feature in Ti K-edge XANES spectra for ATiO₃ (A = Ca and Sr), A₂TiO₄ (A = Mg and Fe), TiO₂ rutile and TiO₂ anatase, T. Hiratoko, A. Yoshiasa, T. Nakatani, M. Okube, A. Nakatsuka and K. Sugiyama, Journal of Synchrotron Radiation, 20, 2013, 641–643
7. Effective pair potential for Ca–O binds in CaGeO₃ polymorphs, A. Koganemaru, A. Yoshiasa, L. Wang, T. Nakatani, A. Nakatsuka, M. Okube, H. Arima and K. Sugiyama, Journal of Physics: Conference Series, 430, 2013, 12068
8. Static disorders of atoms and experimental determination of Debye-temperature in pyrope: Low- and high-temperature single crystal X-ray diffraction study – Reply, A. Nakatsuka, M. Shimokawa, N. Nakayama, O. Ohtaka, H. Arima, M. Okube and A. Yoshiasa, American Mineralogist, 98[4], 2013, 783–784
9. Conceptual study and key technology development for Mars aeroflyby sample collection, Fujita K., Ozawa T., Okudaira K., Mikouchi T., Suzuki T., Takayanagi H., Tsuda Y. Ogawa N. Tachibana S., and Satoh T., Acta Astronautica, 93, 2014, 84–93

10. Chelyabinsk airburst, damage assessment, meteorite recovery, and characterization, Popova O. P., Jenniskens P., Emelyanenko V., Kartashova A., Biryukov E., Khaibrakhmanov S., Shuvalov V., Rybnov Y., Dudorov A., Grokhovsky V. I., Badyukov D. D., Yin Q.-Z., Gural P. S., Albers J., Granvik M., Evers L. G., Kuiper J., Kharlamov V., Solovyov, *Science*, 342, 2013, 1069–1073
11. Ar–Ar ages and trapped Ar components in Martian shergottites RBT 04262 and LAR 06319, Park J., Bogard D. D., Nyquist L. E., Garrison D. H. and Mikouchi T., *Geochimica et Cosmochimica Acta*, 121, 2013, 546–570
12. Experimental evidence of fast transport of trace elements in planetary basaltic crusts by high temperature metamorphism, Yamaguchi A., Mikouchi T., Ito M., Shirai N., Barrat J. A., Messenger S. and Ebihara M., *Earth and Planetary Science Letters*, 368, 2013, 101–109
13. Extent and feature of lattice distortions around Ga impurity atoms in InSb single crystal, S. Hosokawa, N. Hoppo, T. Ozaki, H. Ikemoto, T. Shishido, and K. Hayashi, <http://dx.doi.org/10.1103/PhysRevB>, *Physical Review B*, 87, 2013, 094104 1–8
14. 蛍光X線ホログラフィー: 回折実験による構造解析の矛盾とその解決, 細川伸也、八方直久、林好一, <http://dx.doi.org/10.1380/jsssj>, *日本表面科学会誌「表面科学」*, 34, 2013, 592–597
15. 蛍光X線ホログラフィーによる局所格子ひずみの評価, 林好一、八方直久、細川伸也, *日本放射光学会誌「放射光」*, 26, 2013, 195–205

電氣的、光学的性質

1. Analysis of non-radiative carrier recombination processes in InN films by mid-infrared spectroscopy, Daichi Imai, Yoshihiro Ishitani, Masayuki Fujiwara, Xingjian Wang, Kazuhide Kusakabe, and Akihiko Yoshikawa, 10.1007/s11664-013-2550-y, *Journal of Electronic Materials*, 42 (5), 2013, 875–881

超高温、プラズマ

1. Properties of deposited layer formed by interaction with Be seeded D–He mixture plasma and tungsten, K. Tokunaga, M. J. Baldwin, D. Nishijima, R. P. Doerner, S. Nagata, B. Tsuchiya, H. Kurishita, T. Fujiwara, K. Araki, Y. Miyamoto. N. Ohno, Y. Ueda, *Journal of Nuclear Materials*, 442, 2013, S313–S319

分光、分析、NMR、メスバウアー

1. Comparative Studies on the Excitation Mechanism of Fe II Lines in Low Pressure Laser-Induced Plasma of Argon and Neon, L. Zhang, S. Kashiwakura, K. Wagatsuma, 10.1080/00387010.2012.656875, *Spectroscopy Letters*, 46, 1, 2013, 1–12
2. Characteristics of the Calibration Curves of Copper for the Rapid Sorting of Steel Scrap by Means of Laser-induced Breakdown Spectroscopy under Ambient Air Atmospheres, S. Kashiwakura, K. Wagatsuma, 10.2116/analsci.29.1159, *Analytical Sciences*, 29, 12, 2013, 1159–1164

3. Rapid determination of small amounts of copper in steel scraps by laser-induced plasma spectrometry, L. Zhang, K. Wagatsuma, <http://dx.doi.org/10.2355/isijint.2013.53.12.2201>, ISIJ International, 53, 12, 2013, 2201–2205

中性子、電子、イオン、X線散乱

1. Electronic Raman scattering from orbital nematic fluctuations, H. Yamase and R. Zeyher, 10.1103/PhysRevB.88.125120, Physical Review B, 88, 2013, 125120 1–11
2. Superconductivity from orbital nematic fluctuations, H. Yamase and R. Zeyher, 10.1103/PhysRevB.88.180502, Physical Review B, 88, 2013, 180502(R) 1–5

計算材料科学

1. First-Principles Study of Electronic Structure and Thermoelectric Properties of Ge-Doped Tin Clathrates, K. Akai, K. Kishimoto, T. Koyanagi, Y. Kono, and S. Yamamoto, 10.1007/s11664-013-2963-7, Journal of Electronic Materials, on-line, 2013, s11664-013-2963-7
2. Atomic Force Microscopy Simulation by MD/continuum Coupling Method, Yasuhiro Senda, Nobuyuki Imahashi, Shuji Shimamura, Janne Blomqvist, and Risto M Nieminen, Integrated Ferroelectrics, in press, 2014
3. Computational model for atomic force microscopy using the MD/continuum coupling method, Yasuhiro Senda, Nobuyuki Imahashi, Shuji Shimamura, Janne Blomqvist, and Risto M Nieminen, e-Journal of Surface Science and Nanotechnology, submitted, 2014