

# 発 表 論 文

## 金属、合金

1. Multi-phonon excitations in Fe 2p RIXS on Mg<sub>2</sub>FeH<sub>6</sub>, K. Kurita, D. Sekiba, I. Harayama, K. Chito, Y. Harada, H. Kiuchi, M. Oshima, S. Takagi, M. Matsuo, R. Sato, K. Aoki, S. Orimo, *Journal of Physical Society of Japan*, 84, 2015, 043201 1–3

## 半導体

1. Progress in theoretical approach to InGaN and InN epitaxy: In incorporation efficiency and structural stability, Y. Kangawa, T. Ito, A. Koukitu, K. Kakimoto, *Japanese Journal of Applied Physics*, 53•10, 2014, 100202 1–11
2. Enhanced optical absorption due to E<sup>+</sup>-related band transition in GaAs:N delta-doped superlattices, S. Yagi, S. Noguchi, Y. Hijikata, S. Kuboya, K. Onabe, Y. Okada, and H. Yaguchi, *Applied Physics Express*, vol.7, No.10, 2014, 102301 1–4

## セラミックス

1. Crystal Structure Analysis of Hydrothermally Synthesized Epitaxial (K<sub>x</sub>Na<sub>1-x</sub>)NbO<sub>3</sub> Films, Takahisa Shiraishi, Noriyuki Kaneko, Hiro Einishi, Takao Shimizu, Minoru Kurosawa, Hiroshi Uchida, Takeshi Kobayashi, Takanori Kiguchi, Toyohiko J. Konno, Hiroshi Funakubo, *Japanese Journal of Applied Physics*, 52, 2013, 09KA11

## 超伝導材料

1. Commensurate and Incommensurate Vortex States Confined Mesoscopic Triangles of weak Pinning Superconducting Thin Films, Nobuhito Kokubo, Hajime Miyahara, Satoru Okayasu, Tsutomu Nojima, *Journal of the Physical Society of Japan*, 84, 2015, 043704 1–4
2. High Strength and Superconductivity in Nanostructured Niobium&ndash;Titanium Alloy by High-Pressure Torsion and Annealing: Significance of Elemental Decomposition and Supersaturation, K. Edalati, T. Daio, S. Lee, Z. Horita, T. Nishizaki, T. Akune, T. Nojima, and T. Sasaki, *Acta Materialia*, 80, 2014, 149–158

## 磁性、磁性材料

1. X-ray magnetic circular dichroism investigation of the electron transfer phenomena responsible for magnetic switching in a cyanide-bridged [CoFe] Chain, M. L. Baker, Y. Kitagawa, T. Nakamura, K. Tazoe, Y. Narumi, Y. Kotani, F. Iijima, G. N. Newton, M. Okumura, H. Oshio, H. Nojiri, *Inorganic Chemistry*, 52, 2013, 13956–13962
2. Investigation of magnetic anisotropy and magnetic moments of tetragonal distorted Fe<sub>1-x</sub>Co<sub>x</sub> films on L10 FePt underlayer, B. Wang, H. Oomiya, A. Arakawa, T. Hasegawa, H. Sasaki, S. Ishio, *J. Appl. Phys.*, Vol. 117, 2015, 17C709 1–4
3. Perpendicular magnetic anisotropy and magnetization of L10 FePt/FeCo bilayer films, B. Wang, H. Oomiya, A. Arakawa, T. Hasegawa, and S. Ishio, *J. Appl. Phys.*, Vol. 115, 2014, 133908 1–5
4. Enhancement of the cyclotron effective mass in U<sub>0.03</sub>Th<sub>0.97</sub>Ru<sub>2</sub>Si<sub>2</sub>, Y. Haga, Y. Matsumoto, N. Tateiwa, E. Yamamoto, N. Kimura, T. Yamamura, Z. Fisk, *J. Phys.: Conf. Ser.*, 592, 2015, 012036 1–5
5. Analysis of the spin Hall effect in CuIr alloys: Combined approach of density functional theory and Hartree-Fock approximation, Z. Xu, B. Gu, M. Mori, T. Ziman, and S. Maekawa, *J. Appl. Phys.*, 117, 2015, 17D510
6. Enhanced spin Hall effect by electron correlations in CuBi alloys, B. Gu, Z. Xu, M. Mori, T. Ziman, and S. Maekawa, *J. Appl. Phys.*, 117, 2015, 17D503
7. Sign change of the spin Hall effect due to electron correlation in non-magnetic CuIr alloys, Z. Xu, B. Gu, M. Mori, T. Ziman, and S. Maekawa, *Phys. Rev. Lett.*, 114, 2015, 17202
8. Origin of the Phonon Hall Effect in Rare-Earth Garnets, M. Mori, A. Spencer-Smith, O. P. Sushkov, and S. Maekawa, *Phys. Rev. Lett.*, 113, 2014, 265901
9. Lifshitz Transition Induced by Magnetic Field for Frustrated Two-Leg Spin-Ladder System, T. Sugimoto, M. Mori, T. Tohyama, and S. Maekawa, *arXiv:409.4280*, 2014,
10. Spin-Spin Correlation Enhanced by Impurities in a Frustrated Two-leg Spin Ladder, T. Sugimoto, M. Mori, T. Tohyama, and S. Maekawa, *JPS Conf. Proc.*, 3, 2014, 14016

## 複合材料

1. First-Principles Study on Structural Stability of Belite, Ryoji Sakurada, Yoshiyuki Kawazoe, and Abhishek Kumar Singh, *ACI Materials Journal*, No. 112, No.1, January-February, 2015, pp.85-93
2. Site-occupation behavior and solid-solution hardening effect of rhenium in  $\text{Mo}_5\text{SiB}_2$ , Junya Nakamura, Takahiro Kaneko, Takashi Hara, Kyosuke Yoshimi, Kouichi Maruyama, Hirokazu Katsui, Takashi Goto, *Intermetallics*, 53, 2014, 85-91
3. High-Temperature Compressive Properties of TiC-Added Mo-Si-B Alloys, KYOSUKE YOSHIMI, JUNYA NAKAMURA, DAIKI KANEKON, SHIHO YAMAMOTO, KOUICHI MARUYAMA, HIROKAZU KATSUI, TAKASHI GOTO, *JOM*, 66•9, 2014, 1930-1938

## 生体材料

1. Rapid Screening of Mineralization Capacity of Biomaterials by Means of Quantification of Enzymatically Deposited Calcium Phosphate, Nijhuis A.W., Takemoto S., Nejadnik M.R., Li Y. Ossipov D.A., Hiborn J., Mikos A.G., Yoshinari M., Jansen J.A., Leeuwenburgh S.C., *Tissue Engineering Part C Methods*, 20•10, 2014, 838-850

## 非晶質・ガラス、液体状態、準結晶

1. Anomalous x-ray scattering investigations on metallic glasses//,S. Hosokawa,Mater. Sci. Forum,783-786,2014,1907-1912
2. A combination of anomalous x-ray scattering and neutron diffraction for structural characterizations of Zr<sub>63</sub>Ni<sub>25</sub>Al<sub>12</sub> metallic glass,S. Hosokawa, J.-F. Bérrar, N. Boudet, S. Kohara, J. Stellhorn, W.-C. Pilgrim, A. Zeidler, H. Kato, Y. Kawakita, and T. Otomo,J. Phys.: Conf. Ser.,502,2014,012023 1-4
3. Existence of covalent-like bonding in Pd<sub>40</sub>Cu<sub>20</sub>Ge<sub>40</sub> metallic glass observed by anomalous x-ray scattering,T. Yamamoto, S. Hosokawa, J.-F. Berar, N. Boudet, W.-C. Pilgrim, K. Hayashi, and H. Kato,J. Phys.: Conf. Ser.,519,2014,012005 1-4
4. Existence of covalent-like bonding in Pd<sub>40</sub>Cu<sub>20</sub>Ge<sub>40</sub> metallic glass observed by anomalous x-ray scattering,T. Yamamoto, S. Hosokawa, J.-F. Bérrar, N. Boudet, W.-C. Pilgrim, K. Hayashi, H. Kato,Journal of Physics: Conference Series 519,2014,012005 1-4
5. Detection of structural change of Pd&dash;Cu&dash;Ge metallic glass thin films upon heat treatment by using X-ray reflectivity,Tokujiro Yamamoto, Kouichi Hayashi, Kosuke Suzuki, Masahisa Ito,Japanese Journal of Applied Physics,53,2014,05FH03 1-4
6. Solid plasticity and supercooled-liquid thermoplasticity of Zr&dash;Cu-enriched hypoeutectic Zr&dash;Cu&dash;Ni&dash;Al cast glassy alloys,Y. Yokoyama, M. Yamada, T. Mori, H. Tokunaga, T. Sato, T. Shima, M. Nishijima, K. Fujita, and T. Yamasaki,Mater. Sci. Eng.,A 606,2015,74-80
7. Zr-Cu-Ni-Al系金属ガラスの過冷却液体粘度と熱的特性の合金組成依存性,山田昌弘、山崎 徹、横山嘉彦,日本金属学会誌,Vol. 78, No. 2,2014,90-97
8. Nano-microscale moulding of some metal plates with high strength Ni-W alloy moulds,T. Yamasaki, M. Yamada, H. Adachi, T. Nabeshima and Y. Yokoyama,Microsystem Technologies,Vol. 20,2014,1941-1948
9. Zr-Cu-Ni-Al系金属ガラスの塑性変形性に及ぼすAu添加の影響,山田昌弘、山崎 徹、横山嘉彦,日本金属学会誌,Vol. 78 No. 12,2014,449-458

## 結晶成長、欠陥

1. Three-Dimensional Modeling of Basal Plane Dislocations in 4H-SiC Single Crystals Grown by the Physical Vapor Transport Method, B. Gao, K. Kakimoto, Cryst. Growth Des., 2014, 14 (3), 2014, 1272-1278
2. Optimization of power control in the reduction of basal plane dislocations during PVT growth of 4H-SiC single crystals, B. Gao, K. Kakimoto, Journal of Crystal Growth, 392, 2014, 92-97
3. /Study of the effect of doped impurities on polytype stability during PVT growth of SiC using 2D nucleation theory/, T. Shiramomo, B. Gao, F. Mercier, S. Nishizawa, S. Nakano, K. Kakimoto, Journal of Crystal Growth, 385, 2014, 95-99
4. Dislocation-density-based modeling of the plastic behavior of 4H-SiC single crystals using the Alexander-Haasen model, B. Gao, K. Kakimoto, Journal of Crystal Growth, 386, 2014, 215-219
5. Comparison of Phosphorus Gettering Effect in Faceted Dendrite and Small Grain of Multicrystalline Silicon Wafers Grown by Floating Cast Method, Supawan Joonwichien, Isao Takahashi, Satoru Matsushima and Noritaka Usami, The Japanese Journal of Applied Physics, in press, 2015,
6. Relationship between dislocation density and contact angle of dendrite crystals in practical size silicon ingot, Isao Takahashi, Supawan Joonwichien, Satoru Matsushima, and Noritaka Usami, Journal of Applied Physics, Vol. 117, 2015, 95701
7. Towards implementation of floating cast method for growing large-scale high-quality multicrystalline silicon ingot using designed double crucibles, Supawan Joonwichien, Isao Takahashi, Satoru Matsushima and Noritaka Usami, PROGRESS IN PHOTOVOLTAICS: RESEARCH AND APPLICATIONS, Vol. 22, 2014, pp 726-732

## 表面、界面

1. Spatially-resolved spectral image of a microwave-induced plasma with Okamoto-cavity for nitridation of steel substrate, S. Sato, Y. Arai, K. Wagatsuma, Anal. Sci., 30, 2014, 237-243
2. Comparative study on the emission spectrometric determination of manganese using nitrogen-oxygen Okamoto-cavity microwave induced plasma and argon radio-frequency inductively-coupled plasma, Yuuki Arai, Shigeo Sato, Kazuaki Wagatsuma, Microchemical Journal, 116, 2014, 135-141

## 結晶構造(X線、電子線回折)

1. Mineralogy and petrography of C asteroid regolith: The Sutter's Mill CM meteorite, Zolensky M., Mikouchi T., Fries M., Bodnar R., Jenniskens P., Yin Q-Z., Hagiya K., Ohsumi K., Komatsu M., Colbert M., Hanna R., Maisano J., Ketcham R., Kebukawa Y., Nakamura T., Matsuoka M., Sasaki S., Tsuchiyama A., Gounelle M., Le L., Martinez J., Ross, *Meteoritics & Planetary Science*, 49, 2014, 1997-2016
2. Mineralogy and crystallography of some Itokawa particles returned by the Hayabusa asteroidal sample return mission, Mikouchi T., Komatsu M., Hagiya K., Zolensky M. E., Hoffmann V., Martinez J., Hochleitner R., Kaliwoda M., Terada Y., Yagi N., Takata M., Satake W., Aoyagi Y., Takenouchi A., Karouji Y., Uesugi M., and Yada T., *Earth, Planets and Space*, 66, 2014, 82

## 電氣的、光学的性質

1. In situ transmission electron microscopy of individual carbon nanotetrahedron/nanoribbon structures in Joule heating, Yusuke Masuda, Hideto Yoshida, Seiji Takeda, and Hideo Kohno, *Applied Physics Letters*, 105, 2015, 83107
2. Splitting and Joining in Carbon Nanotube/Nanoribbon/Nanotetrahedron Growth, Takayuki Hasegawa and Hideo Kohno, *Physical Chemistry Chemical Physics*, 17, 2015, 3009-3013.
3. Chains of Carbon Nanotetrahedra/Nanoribbons, Hideo Kohno and Takayuki Hasegawa, *Scientific Reports*, 5, 2015, 8430
4. Carrier dynamics and related electronic band properties of InN films, Y. Ishitani, *Selected Topics in Applied Physics, Jpn. J. Appl. Phys.*, 53, 2014, 100204
5. Dielectric absorption of s-polarized infrared light resonant to longitudinal optical phonon energy incident on lateral (0001)GaN/Ti stripe structures, Y. Ishitani, K. Hatta, K. Morita, and B. Ma, *Journal of Physics D*, 48, 2015, 95103
6. 電子状態解析に基づく新規オージェーフリー発光物質の探索, 石井、北浦、山路、黒澤、田中、渡邊、小笠原、大西、佐々木, *DV-Xa研究協会会報*, 27, 1-2, 2014, 151-154
7. Observation of VUV Emission from Er/Nd:LuF<sub>3</sub> Crystals, S. Kurosawa, J. Pejchal, M. Kitaura, K. Fukui, K. Nakagawa, S. Watanabe, A. Ohnishi, K. Ogasawara, M. Hasumoto, M. Sakai, *UVSOR ACTIVITY REPORT 2013*, 2014, 66
8. Optical Spectra and Electronic structures of SrCeO<sub>3</sub> Crystals, H. Numata, M. Kitaura, S. Watanabe, K. Ogasawara, S. Kurosawa, K. Yubuta, A. Ohnishi, M. Sasaki, *UVSOR ACTIVITY REPORT 2013*, 2014, 63

9. Observation of VUV Emission from Al<sub>2</sub>O<sub>3</sub> and Nd:LaF<sub>3</sub> Crystals, M. Kitaura, S. Kurosawa, J. Pejchal, K. Fukui, K. Nakagawa, S. Watanabe, A. Ohnishi, K. Ogasawara, M. Hasumoto, M. Sakai, UVSOR ACTIVITY REPORT 2013,,2014,39
10. Photoluminescence studies on energy transfer processes in cerium-doped Gd<sub>3</sub>Al<sub>2</sub>Ga<sub>3</sub>O<sub>12</sub> crystals, M. Kitaura, A. Sato, K. Kamada, S. Kurosawa, A. Ohnishi, M. Sasaki, J. Hara, Optical Materials, 41, 2015, 45–48

## 低温

1. Uniaxial Chemical Pressure and Disorder Effects on Magnetic and Dielectric Properties of  $\text{-(BEDT-TTF)}_2(\text{ICl}_2)_1\text{-x}(\text{AuCl}_2)_x$ , Naoki Yoneyama, Takahide Kurobe, Satoshi Iguchi, Akira Miura, Takahiro Takei, Nobuhiro Kumada, Takahiko Sasaki, Journal of the Physical Society of Japan, 84, 2015, 033709 1–4
2. Relationship between Ferromagnetic Criticality and the Enhancement of Superconductivity Induced by Transverse Magnetic Fields in UCoGe, Taisuke Hattori, Kosuke Karube, Kenji Ishida, Kazuhiko Deguchi, Noriaki K. Sato, Tomoo Yamamura, J. Phys. Soc. Jpn., 83, 2014, 073708 1–4
3. Spin-Triplet Superconductivity Induced by Longitudinal Ferromagnetic Fluctuations in UCoGe Probed by <sup>59</sup>Co NMR Measurement, Taisuke Hattori, Yoshihiko Ihara, Kosuke Karube, Daisuke Sugimoto, Kenji Ishida, Kazuhiko Deguchi, Noriaki K. Sato, Tomoo Yamamura, J. Phys. Soc. Jpn., 83, 2014, 061012 1–8

## 照射、原子力(アクチノイド)

1. Magnetic Relaxations Arising from Spin-Phonon Interactions in the Nonthermally Activated Temperature Range for a Double-Decker Terbium Phthalocyanine Single Molecule Magnet, Takamitsu Fukuda, Natsuko Shigeyoshi, Tomoo Yamamura, Naoto Ishikawa, Inorganic Chemistry, 53, 2014, 9080–9086

## 分光、分析、NMR、メスbauer

1. レーザー誘起プラズマ発光分光分析法の鉄鋼スクラップの組成別ソーティングへの適用, 柏倉俊介, 我妻和明, レーザー研究, 42, 12, 2014, 908-912
2. 鉄鋼製造プロセス最適制御に向けた原子発光分光分析, 近藤裕之, 相本道宏, 我妻和明, 鉄と鋼, 100, 7, 2014, 846-856
3. Comparative study on the emission spectrometric determination of manganese using nitrogen-oxygen Okamoto-cavity microwave induced plasma and argon radio-frequency inductively-coupled plasma, Y. Arai, S. Sato, K. Wagatsuma, Microchem. J., 116, 2014, 135-141
4. Spatially-resolved spectral image of a microwave-induced plasma with Okamoto-cavity for nitridation of steel substrate, S. Sato, Y. Arai, K. Wagatsuma, Anal. Sci., 30(2), 2014, 237-243
5. Enhanced Charge Excitations in Electron-Doped Cuprates by Resonant Inelastic X-Ray Scattering, T. Tohyama, K. Tsutsui, M. Mori, S. Sota, and S. Yunoki, arxiv, 2015, 1503.14259
6. Lifshitz Transition Induced by Magnetic Field for Frustrated Two-Leg Spin-Ladder System, T. Sugimoto, M. Mori, T. Tohyama, and S. Maekawa, JPS Conf. Proc., in press, 2015,
7. Spin-Spin Correlation Enhanced by Impurities in a Frustrated Two-leg Spin Ladder, T. Sugimoto, M. Mori, T. Tohyama, and S. Maekawa, JPS Conf. Proc., 3, 2014, 014016 1-5
8. Origin of the Phonon Hall Effect in Rare-Earth Garnets, M. Mori, A. Spencer-Smith, O. P. Sushkov, and S. Maekawa, Phys. Rev. Lett., 113, 2014, 265901 1-5

## 中性子、電子、イオン、X線散乱

1. PoGOLino: A scintillator-based balloon-borne neutron detector, Kole, Merlin Chauvin, Maxime; Fukazawa, Yasushi; Fukuda, Kentaro; Ishizu, Sumito; Jackson, Miranda; Kamae, Tune; Kawaguchi, Noriaki; Kawano, Takafumi; Kiss, Mozsi; Moretti, Elena; Pearce, Mark; Rydstrom, Stefan; Takahashi, Hiromitsu; Yanagida, Takayuki, Nuclear Instruments and Methods in Physics Research Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 770, 2015, 68-75



## 計算材料科学

1. A Model for Triboluminescence from Fracture Surfaces of Silica Glass, Hiroki Kanehira, Muhammad Zainurin, and Shuji Shimamura, *e-Journal of Surface Science and Nanotechnology*, 13, 2015, to be published in April
2. Computational model for atomic force microscopy using the MD/continuum coupling method, Yasuhiro Senda, Nobuyuki Imahashi, Shuji Shimamura, Janne Blomqvist, and Risto M Nieminen, *e-Journal of Surface Science and Nanotechnology*, 12, 2014, 339–342
3. Atomic Force Microscopy Simulation by MD/continuum Coupling Method, Yasuhiro Senda, Nobuyuki Imahashi, Shuji Shimamura, Janne Blomqvist, and Risto M Nieminen, *Integrated Ferroelectrics*, 155, 2014, 33–38
4. Geometry Dependence of Electronic and Energetic Properties of One-Dimensional Peanut-Shaped Fullerene Polymers, Yusuke Noda, Shota Ono, and Kaoru Ohno, *J. Phys. Chem. A*, 未定, 2015, 未定
5. TOMBO: All-electron mixed-basis approach to condensed matter physics, Shota Ono, Yoshifumi Noguchi, Ryoji Sahara, Yoshiyuki Kawazoe, and Kaoru Ohno, *Computer Physics Communications*, 189, 2015, 20–30
6. Linearized self-consistent GW approach satisfying the Ward identity, Riichi Kuwahara and Kaoru Ohno, *Phys. Rev. A*, 90, 2014, 032506 1–9
7. Validity of virial theorem in all-electron mixed basis density functional, Hartree–Fock, and GW calculations, Riichi Kuwahara, Yoichi Tadokoro, and Kaoru Ohno, *J. Chem. Phys.*, 141, 2014, 084108 1–6
8. Stable spin states of boron, aluminum, and silicon dimers in a self-consistent GW calculation, Riichi Kuwahara and Kaoru Ohno, *Mod. Phys. Lett. B*, 28 (No.20), 2014, 1450166 1–9
9. Heterojunction of single-walled capped carbon nanotube and zinc phthalocyanine with high energy conversion efficiency, Shota Ono, Riichi Kuwahara, and Kaoru Ohno, *J. Appl. Phys.*, 116, 2014, 054305 1–4
10. Effects of environmental factors on the conversion efficiency of solar thermoelectric co-generators comprising parabola trough collectors and thermoelectric modules without evacuated tubular collector, Chao Li, Ming Zhang, Lei Miao, Jianhua Zhou, Yi Pu Kang, C. A. J. Fisher, Kaoru Ohno, Yang Shen, and Hong Lin, *Energy Conversion and Management*, 86, 2014, 944–951
11. Metallic three-coordinated carbon networks with eight-membered rings showing high density of states at the Fermi level, Yusuke Noda, Shota Ono, and Kaoru Ohno, *Phys. Chem. Chem. Phys.*, 16, 2014, 7102–7107

12. Low-Temperature, Solution-Based, Scalable Synthesis of Sb<sub>2</sub>Te<sub>3</sub> Nanoparticles with an Enhanced Power Factor, Heng Quan Yang, Lei Miao, Ming Zhang, Kaoru Ohno, Jian Hua Zhou, Hui Gu, Yang Shen, and Hong Lin, *J. of Electronic Materials*, 43 (6), 2165–2173
13. Tunable Seebeck Coefficient in Monolayer Graphene Under Periodic Potentials, Shotaro Ono, Ming Zhang, Yusuke Noda, and Kaoru Ohno, *J. of Electronic Materials*, 43 (6), 2014, 1505–1508
14. 全電子混合基底法プログラムを用いた水素貯蔵材料の設計, 佐原亮二、水関博志、M. H. F. Sluiter、大野かおる、川添良幸, *水素利用技術集成*, Vol. 4, 2014, 143–148
15. 全電子混合基底法プログラムTOMBOを活用した材料科学, 佐原亮二、小野頌太、大野かおる, *あたりあ*, 53, 2014, 400–404